

Installing Sun™ Enterprise SyMON™ 2.0 for Workgroup Servers



THE NETWORK IS THE COMPUTER™

Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94303-4900 USA
650 960-1300 Fax 650 969-9131

Part No. 806-0275-10
January 1999, Revision 01

Send comments about this document to: docfeedback@sun.com

Copyright 1999 Sun Microsystems, Inc., 901 San Antonio Road • Palo Alto, CA 94303 USA. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, AnswerBook, Java, the Java Coffee Cup, Sun Enterprise SyMON, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

RESTRICTED RIGHTS: Use, duplication, or disclosure by the U.S. Government is subject to restrictions of FAR 52.227-14(g)(2)(6/87) and FAR 52.227-19(6/87), or DFAR 252.227-7015(b)(6/95) and DFAR 227.7202-3(a).

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 1999 Sun Microsystems, Inc., 901 San Antonio Road • Palo Alto, CA 94303 Etats-Unis. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, AnswerBook, Java, le logo Java Coffee Cup, Sun Enterprise SyMON, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REpondre A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



Installing Sun Enterprise SyMON 2.0 for Workgroup Servers

Sun Enterprise SyMON™ 2.0 for Workgroup Servers software is an extension to Sun Enterprise SyMON 2.0 (or SyMON). This extension enables customers to monitor and manage supported workgroup server systems.

Sun Enterprise SyMON 2.0

Sun Enterprise SyMON 2.0 (or SyMON) is an open, extensible, standards-based solution for monitoring and managing Sun™ desktop systems, enterprise servers, and workgroup servers. It facilitates simple centralized or distributed management of any number of Sun system products and their subsystems and components.

The SyMON software consists of three major components:

- *Server* – The SyMON server collects status information from the Sun systems in the network on which the SyMON agent is installed and provides information and services to the SyMON console(s). A SyMON server can monitor any number of systems, and can report to any number of SyMON consoles. Any Sun system that meets the minimum configuration requirements can act as a SyMON server.
- *Agent* – The SyMON agent software runs on each Sun system monitored by a SyMON server. The agent provides status and alarm information to the SyMON server assigned to monitor it. Each instance of the SyMON agent reports to only one SyMON server. The SyMON agent software can be installed on any supported Sun desktop system or server.
- *Console* – The SyMON console software runs on each Sun system that is set up to act as a console for a SyMON network. A SyMON console can view one or more SyMON servers and any number of Sun systems in a SyMON network.

SyMON 2.0 for Workgroup Servers

The three SyMON 2.0 for Workgroup Servers (WGS SyMON) modules correspond to the three architectural layers of the SyMON 2.0 product. The following is an overview of the three WGS SyMON modules:

- `SUNWeswgs` – WGS server module: Provides libraries and other files needed by the SyMON server to monitor and control supported WGS systems. This software must be installed on all SyMON server systems in addition to the base SyMON server software.
- `SUNWeswga` – WGS agent module: Provides libraries and other files needed by the SyMON agent to monitor supported WGS systems. This software must be installed on all SyMON monitored WGS systems in addition to the base SyMON agent software.
- `SUNWeswgc` – WGS console module: Provides files needed by the SyMON console to view supported WGS systems. This software must be installed on all SyMON console systems in addition to the base SyMON console software.

Supported Systems

The following WGS systems are supported in this release:

- Sun Enterprise™ 450 workgroup server
- Sun Enterprise 250 workgroup server
- Sun Enterprise 150 workgroup server
- Sun Enterprise 2 workgroup server

The following operating environments are supported:

- Solaris™ 2.5.1
- Solaris 2.6
- Solaris 7

Prerequisites for Installation

Before installing Sun Enterprise SyMON 2.0 for Workgroup Servers to monitor workgroup server systems, you must install all the components of the base Sun Enterprise SyMON 2.0 software on the host system or systems. For Sun Enterprise

SyMON 2.0 software installation instructions, please refer to the Sun Enterprise SyMON 2.0 documentation shipped with your SyMON CD-ROM, or consult the SyMON website, www.sun.com/symon, for instructions.

Note – If you are the administrator of the WGS SyMON software, you should be familiar with the SyMON 2.0 product and its documentation. You should also know which systems in your network will function as servers and consoles, and which systems will be monitored by the servers and consoles.

Please be sure you have met these prerequisites before installing the WGS SyMON packages.

Table 1 shows which Sun Enterprise SyMON 2.0 module must be installed on a host system prior to installing the WGS-specific package on that system. For information about installing the SyMON 2.0 modules, see the chapter on installation in the *Sun Enterprise SyMON 2.0 User's Guide*.

TABLE 1 Prerequisites for Installing the Sun Enterprise SyMON 2.0 for Workgroup Server Packages

| WGS Package | Required SyMON 2.0 Module | Where to Install the WGS Package |
|-------------------------|---------------------------|--|
| SUNWeswga – WGS agent | SyMON Agent | On every supported WGS system that is being monitored by SyMON 2.0, and on every supported WGS system acting as a SyMON 2.0 server |
| SUNWeswgs – WGS server | SyMON Server | On every system (whether a WGS system or not) that will monitor one or more supported WGS systems |
| SUNWeswgc – WGS console | SyMON Console | On every SyMON console (whether a WGS system or not) that will be used to monitor one or more supported WGS systems |

Consult the illustration on the following page for further clarification. The diagram illustrates a possible scenario in a heterogeneous network, where a Sun Enterprise 450 system acts as the SyMON server.




FIGURE 1 SyMON 2.0 Components Installed on a Heterogeneous Network

Installation Procedure

Before installing the WGS SyMON modules, make sure that the system where the module is being installed has sufficient disk space. The table below shows the disk space requirements for *both* the base Sun Enterprise SyMON 2.0 modules and for the WGS-specific packages.

TABLE 2 Approximate Disk Space Requirements

| Component | SyMON 2.0 Module | WGS SyMON |
|----------------|------------------|-------------|
| Agent module | 35.6 Megabytes | 5 Megabytes |
| Server module | 78.5 Megabytes | 4 Megabytes |
| Console module | 41.9 Megabytes | 1 Megabyte |

▼ Obtaining the WGS SyMON 2.0 Packages

The following three steps explain how to download, uncompress, and extract the WGS SyMON packages.

Note – If the network being monitored includes SyMON host systems running different versions of the Solaris operating environment, you will need to download and uncompress the `tar` files corresponding to all the supported Solaris operating environments.

1. **Download the WGS SyMON software from the password-protected web site (the same site where these installation instructions are located).**

Follow the instructions provided on the web site.

2. **Uncompress the downloaded file.**

Use the following commands, depending on the operating environment of the system where you intend to install the packages.

- For installing on Solaris 2.5.1 systems,

```
/bin/uncompress wgs_packages_fcs_2.5.tar.Z
```

This creates an uncompressed file `wgs_packages_fcs_2.5.tar`

- For installing on Solaris 2.6 systems,

```
/bin/uncompress wgs_packages_fcs_2.6.tar.Z
```

This creates an uncompressed file `wgs_packages_fcs_2.6.tar`

- For installing on Solaris 7 systems,

```
/bin/uncompress wgs_packages_fcs_2.7.tar.Z
```

This creates an uncompressed file `wgs_packages_fcs_2.7.tar`

3. Extract the packages.

Use the following commands, depending on the operating environment of the system where you intend to install the packages.

- For installing on Solaris 2.5.1 systems,

```
/bin/tar xvf wgs_packages_fcs_2.5.tar
```

This creates packages directory `wgs_packages_fcs_2.5`

- For installing on Solaris 2.6 systems,

```
/bin/tar xvf wgs_packages_fcs_2.6.tar
```

This creates packages directory `wgs_packages_fcs_2.6`

- For installing on Solaris 7 systems,

```
/bin/tar xvf wgs_packages_fcs_2.7.tar
```

This creates packages directory `wgs_packages_fcs_2.7`

▼ Installing the WGS SyMON Modules

This procedure shows how to install the WGS SyMON modules, individually or in combination, for any system participating in your SyMON monitoring and management plan.

As noted earlier, you must know which systems in your network will function as SyMON servers and consoles, and which systems will be monitored by those servers and consoles. Also, the appropriate SyMON modules should already have been installed before you install the WGS SyMON modules, which are extensions to the SyMON software.

1. **Log in as root to the system where you intend to install the WGS module.**
2. **Determine which version of the Solaris operating environment the system is running.**

Use the command `uname -r` to display the Solaris version.

3. Confirm that the prerequisite SyMON packages have been installed.

Use the `pkginfo` command to determine which packages have been installed. Consult Table 1 and the *SyMON User's Guide* to determine the prerequisite SyMON package(s) for the system on which you are installing the WGS SyMON package(s).

4. Stop the SyMON software, if it is running on the system.

If the SyMON software is running on this system, you will need to stop the SyMON processes before installing the WGS SyMON package(s). You can stop all the SyMON processes by running the script:

```
/opt/SUNWsymon/sbin/es-stop -A
```

5. Change directory to the location where the appropriate WGS SyMON packages are stored.

The appropriate location depends on the version of Solaris software the system is running.

- If this is a Solaris 2.5 system, change to the directory `wgs_packages_fcs_2.5`
- If this is a Solaris 2.6 system, change to the directory `wgs_packages_fcs_2.6`
- If this is a Solaris 7 system, change to the directory `wgs_packages_fcs_2.7`

6. Add the appropriate SyMON WGS package(s).

Use the matrix below to determine which command to use for this system.

TABLE 3 Package Installation Matrix

| System Function | Install WGS Module(s) | Command to Add Package(s) |
|---|------------------------------|--|
| 1. SyMON server on a supported WGS system | Server and agent | <code>pkgadd -d . SUNWeswgs SUNWeswga</code> |
| 2. Non-WGS SyMON server that monitors a supported WGS system | Server | <code>pkgadd -d . SUNWeswgs</code> |
| 3. Any supported WGS system that is monitored by the SyMON server | Agent | <code>pkgadd -d . SUNWeswga</code> |
| 4. Any system that is a console for monitoring a supported WGS system | Console | <code>pkgadd -d . SUNWeswgc</code> |
| 5. Combined 3 and 4 | Agent and console | <code>pkgadd -d . SUNWeswga SUNWeswgc</code> |
| 6. Combined 1 and 4 | Server and console | <code>pkgadd -d . SUNWeswgs SUNWeswga SUNWeswgc</code> |
| 7. Combined 2 and 4 | Server (non-WGS) and console | <code>pkgadd -d . SUNWeswgs SUNWeswgc</code> |
| 8. Combined 1, 3, and 4 | Server, agent, and console | <code>pkgadd -d . SUNWeswgs SUNWeswga SUNWeswgc</code> |

7. Run the SyMON setup script so that the Configuration Reader module will be activated. (You must install this setup script on each system where the SyMON WGS software is installed.) Use this command:

```
/opt/SUNWsymon/sbin/es-setup
```

8. When you have installed the WGS SyMON package(s) on this system, restart the SyMON processes using this command:

```
/opt/SUNWsymon/sbin/es-start -A
```

Note – When you are using the SyMON Load Module interface, the “Configuration Reader (workgroup server)” module name will be displayed. Do not unload this module.

9. Log out of the root session on this system.
10. Repeat this procedure for each system where you intend to install WGS SyMON software.

After you have completed this procedure for each system, you are now ready to use Sun Enterprise SyMON 2.0 software to monitor your workgroup server systems.

Refer to the *Sun Enterprise SyMON 2.0 User's Guide* for instructions.