



---

# Solstice Backup™ 5.5 Roadmap

---

Sun Microsystems, Inc.  
901 San Antonio Road  
Palo Alto, CA 94303  
U.S.A. 650-960-1300

Part No. 806-2812-10  
September 1999, Revision A

Copyright 1999 Sun Microsystems, Inc., 901 San Antonio Road • Palo Alto, CA 94303-4900 USA. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd. For Netscape Communicator™, the following notice applies: Copyright 1995 Netscape Communications Corporation. All rights reserved.

Sun, Sun Microsystems, the Sun logo, SunOS, SunDocs, SunExpress, Solstice Backup and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. Legato Networker® is a registered trademark of Legato Systems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

**RESTRICTED RIGHTS:** Use, duplication, or disclosure by the U.S. Government is subject to restrictions of FAR 52.227-14(g)(2)(6/87) and FAR 52.227-19(6/87), or DFAR 252.227-7015(b)(6/95) and DFAR 227.7202-3(a).

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 1999 Sun Microsystems, Inc., 901 San Antonio Road • Palo Alto, CA 94303-4900 Etats-Unis. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd. La notice suivante est applicable à Netscape Communicator™ : Copyright 1995 Netscape Communications Corporation. All rights reserved.

Sun, Sun Microsystems, le logo Sun, SunOS, SunDocs, SunExpress, Solstice Backup, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc. Legato Networker est une marque de fabrique ou une marque déposée de Legato Systems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REpondre A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



## Solstice Backup 5.5 Roadmap

---

This media kit may include some Legato products not currently available from Sun Microsystems or its resellers. Should you be interested in evaluating or purchasing any of these products, please notify your Sun representative or reseller. They will work with Legato's Sun business unit to address your requirements.

The media kit contains four CD-ROMs with the following software:

### **1. Solstice Backup Server, Client, and Storage Node CD-ROM**

- Solstice Backup Server, Client and Storage Node software for Solaris™ (SPARC™ and x86)
- Solstice Backup Client software for SunOS™ 4.1.3 and 4.1.4
- Legato NetWorker Server and Client, and Storage Node software for Windows NT® (Intel® and Alpha™)
- Legato NetWorker Server, Client, and Storage Node software for UNIX® operating systems including AIX®, Compaq's Tru64™ UNIX (formerly DIGITAL® UNIX), HP-UX®, SGI IRIX®, and Sequent DYNIX/ptx®
- Legato NetWorker Server and Client software for NetWare®
- Legato NetWorker Client software for Windows® 95/98, SCO UNIX, UnixWare®, Macintosh®, and Red Hat® Linux®

### **2. Legato NetWorker® BusinessSuite™ Modules CD-ROM**

- Legato NetWorker BusinessSuite Modules for Windows NT and UNIX clients that support a wide variety of leading database applications including Microsoft® SQL Server™, Oracle®, INFORMIX®, DB2®, and Sybase®
- Support for messaging including modules for Lotus® Notes™ and Microsoft Exchange Server
- Support for Enterprise Resource Planning in SAP R/3™ on Oracle

### **3. Legato Product Family CD-ROM**

- Legato SmartMedia® Server for Solaris and Windows NT (Intel), Connections for Solaris and Windows NT (Intel), Compaq's Tru64 UNIX, and HP-UX

- Legato NetWorker for EMC2® Symmetrix, UNIX Version for Oracle
- Legato NetWorker for Frameworks
- Legato NetWorker HSM for Windows NT with DiskXtender™ (Intel and Alpha)
- Legato Replica™
- Legato NetWorker Remote Server for Windows NT (Intel)
- Legato NetWorker Remote Client software for Windows NT Workstation (Intel) and Windows 95/98
- Legato GEMS Reporter™
- Legato NetWorker Recovery Manager

#### **4. Documentation Suite CD-ROM**

- Documentation for all software in electronic format. You can find information quickly using hyperlinks, and share documents with several users at once.
- Most of the documentation files are provided in Adobe Acrobat® (PDF) or HTML format. Acrobat Reader software for a variety of operating systems is also provided.
- GNU Ghostscript software is provided for printing PDF files from the DYNIX/ptx operating system.

In addition, this media kit provides the following tools to help you navigate through our product offerings:

- A roadmap to all product applications on each CD-ROM, see page 3.
- A roadmap to all product documentation, see page 11.
- High-level installation, registration, and authorization instructions, see page 19.
- A list of currently available Evaluation Enabler Codes, see page 22.

## **Purchasing or Evaluating Products**

You can evaluate all products contained in this media kit for up to 30 days. An enabler license is required for each product you decide to purchase. To purchase enabler licenses, documentation kits, additional media kits, or complementary products, please contact Sun sales ([www.sun.com](http://www.sun.com)) or your reseller.

# Roadmap to Solstice Backup Applications

**Note:** Files and pathnames on your CD-ROM might be displayed in uppercase or lowercase, depending on which operating system you use to access the CD-ROM.

## Solstice Backup Servers, Clients, and Storage Nodes CD-ROM

Application	Release	Operating System Releases	Location of Installation Binary
<b>Solstice Backup for Solaris</b> server, client, storage node	5.5.1	Solaris 2.5.1, 2.6, 7	<i>Solaris/x86/ Solaris/sparc/</i>
<b>Solstice Backup for SunOS</b> client	4.2.6	SunOS 4.1.3, 4.1.4	<i>SunOS/</i>
<b>NetWorker for AIX</b> server, client, storage node	5.5.1	AIX 4.1.5, 4.2, 4.2.1, 4.3, 4.3.1, 4.3.2	<i>AIX/NETWORKR.TAR AIX/SUPPORT/</i>
<b>NetWorker for Compaq Tru64 UNIX (formally DIGITAL UNIX)</b> server, client, storage node	5.5.1	Compaq Tru64 UNIX 4.0A, 4.0B, 4.0C, 4.0D, 4.0E, 4.0F	<i>DIGITAL/</i>
<b>NetWorker for HP-UX</b> server, client, storage node	5.5.1	HP-UX 10.01, 10.10, 10.20, 10.30, 11.0	<i>HPUX10/NETWORKR.PKG</i>
<b>NetWorker for Sequent DYNIX/ptx</b> server, client, storage node	5.5.1	DYNIX/ptx 4.2.3, 4.4.2, 4.4.4, 4.4.6	<i>SEQUENT/ NETWORKR.PKG</i>
<b>NetWorker for SGI IRIX</b> server, client, storage node	5.5.1	Server and storage node: IRIX 6.2, 6.4, 6.5 Client: IRIX 5.2, 5.3, 6.2, 6.3 (O2 only), 6.4, 6.5	<i>SGI/NETWORKR.TAR</i>
<b>NetWorker XDSM HSM (Solaris)</b> client	5.5.1	Solaris 2.5.1, 2.6	<i>SOLARIS/XDSMHSM/ HSM/XDSMHSM_SOLARIS</i>
<b>NetWorker for Windows NT (Alpha)</b> server, client, storage node	5.5.1	Windows NT 3.51, 4.0	<i>ALPHA/NETWORKR/ SETUP.EXE</i>
<b>NetWorker for Windows NT (Intel)</b> server, client, storage node	5.5.1	Windows NT 3.51, 4.0	<i>I386/NETWORKR/ SETUP.EXE</i>

## Solstice Backup Servers, Clients, and Storage Nodes CD-ROM

Application	Release	Operating System Releases	Location of Installation Binary
<b>NetWorker for NetWare</b> server	<b>4.12</b>	NetWare 4.10, 4.11	<i>NETWARE/SERVER/disk1</i>
<b>NetWorker for NetWare</b> client	<b>4.13</b>	NetWare 3.12, 3.2, 4.1, 4.11, 5.0	<i>NETWARE/CLIENTPK/</i>
<b>NetWorker for Macintosh</b> client	<b>2.0</b>	Macintosh 7.1, 7.5, 7.5.1, 7.5.2, 7.5.3, 7.5.5, 7.6, 7.6.1, 8.0, 8.1, and 8.5	<i>MAC/</i>
<b>NetWorker for Linux</b> client	<b>5.2.1</b>	Red Hat 5.2, 6.0	<i>NW_LINUX/</i>
<b>NetWorker for SCO UNIX</b> client	<b>5.5.1</b>	UNIX OpenServer 5.0.4	<i>SCO/NETWORKR.TAR</i>
<b>NetWorker for UnixWare</b> client	<b>5.5.1</b>	SCO UnixWare 2.1.2, 7	<i>UNIXWARE/ NETWORKR.TAR</i>
<b>NetWorker for Windows 98 and Windows 95</b> client	<b>5.5.1</b>	Windows 98, Windows 95	<i>WIN9X/NETWORKR/ SETUP.EXE</i>

**Note:** Files and pathnames on your CD-ROM might be displayed in uppercase or lowercase, depending on which operating system you use to access the CD-ROM.

## NetWorker BusinessSuite Modules CD-ROM

<b>BusinessSuite Module</b>	<b>Release</b>	<b>Business Application Releases</b>	<b>Location of Installation Binary</b>
<b>Informix</b> Solaris client	<b>1.1</b>	Informix OnLine Dynamic Server 7.2x, 7.3	<i>INFORMIX/SOLARIS/solaris.pkg</i>
<b>Informix</b> HP-UX client	<b>1.1</b>	Informix Parallel Server 8.11-8.2x, Informix Universal Server 9.12-9.14	<i>INFORMIX/HPUX/hpux.tar</i>
<b>Informix</b> AIX client	<b>1.1</b>		<i>INFORMIX/AIX/AIX.TAR</i>
<b>Informix</b> Windows NT client	<b>1.2</b>	Informix OnLine Dynamic Server 7.2x, 7.3	<i>INFORMIX/I386/NETWORKR/SETUP.EXE</i>
<b>Lotus Notes</b> Solaris client	<b>1.1</b>	Lotus Notes 4.1 and later, Domino Server 4.5x, 4.6x, and R5	<i>LOTUSNTS/SOLARIS/BML.pkg</i>
<b>Lotus Notes</b> AIX client	<b>1.1</b>		<i>LOTUSNTS/AIX/bml.tar</i>
<b>Lotus Notes</b> Windows NT client	<b>1.1</b>		<i>LOTUSNTS/I386/NETWORKR/SETUP.EXE</i>
<b>Lotus Notes</b> Windows NT (Alpha) client	<b>1.1</b>		<i>LOTUSNTS/ALPHA/NETWORKR/SETUP.EXE</i>
<b>Microsoft Exchange Server</b> Windows NT (Intel) client	<b>1.1</b>	Microsoft Exchange Server 4.0, 5.0, 5.5	<i>MSEXCHNG/I386/NETWORKR/SETUP.EXE</i>
<b>Microsoft Exchange Server</b> Windows NT (Alpha) client	<b>1.1</b>	Microsoft Exchange Server 4.0, 5.0, 5.5	<i>MSEXCHNG/ALPHA/NETWORKR/SETUP.EXE</i>
<b>Microsoft SQL Server</b> Windows NT (Intel) client	<b>2.0</b>	Microsoft SQL Server 6.5, 7.0	<i>MSSQLSVR/I386/NETWORKR/SETUP.EXE</i>

## NetWorker BusinessSuite Modules CD-ROM

<b>BusinessSuite Module</b>	<b>Release</b>	<b>Business Application Releases</b>	<b>Location of Installation Binary</b>
<b>Microsoft SQL Server</b> Windows NT (Alpha) client	<b>2.0</b>	Microsoft SQL Server 6.5, 7.0	<i>MSSQLSVR/ALPHA/NETWORKR/ SETUP.EXE</i>
<b>Oracle</b> Solaris client	<b>2.1.2</b>	Oracle 7.1.6, 7.2.3, 7.3.x, 8.0.x, 8.1.5 (8i)	<i>ORACLE/SOLARIS/BMOV212.PKG</i>
<b>Oracle</b> Compaq Tru64 UNIX client	<b>2.1.2</b>		<i>ORACLE/DECUNIX/BMOV212.TAR</i>
<b>Oracle</b> AIX client	<b>2.1.2</b>		<i>ORACLE/AIX/BMOV212.TAR</i>
<b>Oracle</b> HP-UX 10.x client	<b>2.1.2</b>	Oracle 7.1.6, 7.2.3, 7.3.x, 8.0.x	<i>ORACLE/HPUX10/BMOV212.TAR</i>
<b>Oracle</b> HP-UX 11.0 client	<b>2.2</b>	Oracle 7.3.4, 8.0.x, 8.1.x (8i)	<i>ORACLE/HPUX11/BMOV22.TAR</i>
<b>Oracle</b> Windows NT (Alpha) client	<b>2.1.3</b>	Oracle 8.0.x	<i>ORACLE/ALPHA/NETWORKR/ SETUP.EXE</i>
<b>Oracle</b> Windows NT (Intel) client	<b>1.0</b>	Oracle 7.1.6, 7.2.3, 7.3.3	<i>ORACLE/NON_EBU/SETUPEXE</i>
<b>Oracle</b> Windows NT (Intel) client	<b>2.1.2</b>	Oracle 7.3.4, 8.0.x, 8.1.5 (8i)	<i>ORACLE/I386/NETWORKR/SETUP.EXE</i>
<b>SAP R/3 on Oracle</b> Solaris client	<b>1.4</b>	SAP R/3 3.0, 3.1 with Oracle 7.1x - 7.3.4 SAP R/3 4.0 with Oracle 7.3.x & 8.0.x	<i>SAPR3/SOLARIS/SAP.PKG</i>
<b>SAP R/3 on Oracle</b> AIX client	<b>1.3</b>	SAP R/3 3.0, 3.1 with Oracle 7.1x - 7.3.4 SAP R/3 4.0 with Oracle 7.3.x and 8.0.x	<i>SAPR3/AIX/SAP.TAR</i>



## NetWorker BusinessSuite Modules CD-ROM

<b>BusinessSuite Module</b>	<b>Release</b>	<b>Business Application Releases</b>	<b>Location of Installation Binary</b>
<b>SAP R/3 on Oracle</b> Compaq Tru64 UNIX client	<b>1.3</b>	SAP R/3 3.0, 3.1 with Oracle 7.3.4 SAP R/3 4.0 with Oracle 7.3.4 and 8.0.x	<i>SAPR3/DIGITAL/SAP.TAR</i>
<b>SAP R/3 on Oracle</b> HP-UX client	<b>1.4</b>	SAP R/3 3.0, 3.1 with Oracle 7.1x - 7.3.4 SAP R/3 4.0 with Oracle 7.3.x and 8.0.x	<i>SAPR3/HPUX10/SAP.PKG</i>
<b>SAP R/3 on Oracle</b> Windows NT (Alpha) client	<b>1.2.3</b>	SAP R/3 3.0, 3.1 with Oracle 7.3.x SAP R/3 4.0 with Oracle 8.0.x No SAPDBA on SAP 4.0b	<i>SAPR3/ALPHA/NETWORKR/SETUP.EXE</i>
<b>SAP R/3 on Oracle</b> Windows NT (Intel) client	<b>1.3</b>	SAP R/3 3.0, 3.1 with Oracle 7.2.x and 7.3.x SAP R/3 4.0 with Oracle 7.3.2 and 8.0.4 BR-Tools doesn't support Oracle 7.3.4 on NT	<i>SAPR3/I386/NETWORKR/SETUP.EXE</i>
<b>DB2</b> AIX client	<b>1.0</b>	DB2 v.5 with June 1998 Fixpack	<i>DB2/AIX/DB2.TAR</i>
<b>NetWorker for EMC Symmetrix for SAP R/3</b> HP-UX 10.20, 11.0 (64-Bit)	<b>1.0</b>	SAP R3 3.1G and BR-Tools 4.0B with Oracle 7.3.x or aOracle 8.0.x	<i>SAPR3/HPUX10/SAP.PKG</i>
<b>NetWorker for EMC Symmetrix for SAP R/3</b> Solaris 2.5.1	<b>1.0</b>	SAP R3 3.1G and BR-Tools 4.0B with Oracle 7.3.x or Oracle 8.0.x	<i>SAPR3/SOLARIS/SAP.PKG</i>

## NetWorker BusinessSuite Modules CD-ROM

<b>BusinessSuite Module</b>	<b>Release</b>	<b>Business Application Releases</b>	<b>Location of Installation Binary</b>
<b>Sybase</b> Solaris client	<b>1.0</b>	Sybase SQL Server 11.x and Sybase Adaptive Server 11.5	<i>SYBASE/SOLARIS/BMS.PKG</i>
<b>Sybase</b> HP-UX client	<b>1.0</b>		<i>SYBASE/HPUX/BMS.PKG</i>
<b>Sybase</b> AIX client	<b>1.0</b>		<i>SYBASE/AIX/BMS.TAR</i>

**Note:** Files and pathnames on your CD-ROM might be displayed in uppercase or lowercase, depending on which operating system you use to access the CD-ROM.

## Legato Product Family CD-ROM

Application Module	Release	Application Releases	Location of Installation Binary
<b>NetWorker HSM for Windows NT (Intel)</b>	1.1	Windows NT 4.0	<i>NWHSM/I386</i>
<b>NetWorker HSM for Windows NT (Alpha)</b>	1.1	Windows NT 4.0	<i>NWHSM/ALPHA</i>
<b>NetWorker Remote for Windows NT (Intel)</b> server, console, agent	1.71	Server: Windows NT 4.0 Server	<i>NWREMOTE/SERVER/SETUP.EXE</i>
		Microsoft SQL Server 7.0 Windows NT (Intel) client	<i>NWREMOTE/TOOLS/SQL70STD/ X86 /SETUP/SETUPSQL.EXE</i>
		Console: Windows NT 4.0 Server or Workstation	<i>NWREMOTE/CONSOLE/ SETUP.EXE</i>
		Agent: Windows 95, Windows 98, or Windows NT 4.0 Workstation	<i>NWREMOTE/CLIENT/ENGLISH/ INSTALL/SETUP.EXE</i>
<b>NetWorker for EMC Symmetrix, UNIX Version for Oracle</b>	1.1	Solaris 2.5.1	<i>NWEO/SOLARIS/NWEO.PKG</i>
		HP-UX 10.20, 11.0 (64-Bit)	<i>NWEO/HPUX10/NWEO.PKG</i>
<b>NetWorker for Frameworks Module, HP IT/O Integration</b>	2.0	Solaris 2.5.1 HP-UX 10.20	<i>FRAMEWORK/HP-ITO</i>
<b>NetWorker for Frameworks Module, Tivoli Integration</b>	2.0	Solaris 2.5.1 AIX 4.2 HP-UX 10.20	<i>FRAMEWORK/Tivoli/NWPLUS</i>
<b>NetWorker for Frameworks Module, Unicenter Integration</b>	1.1	Windows NT 4.0 Solaris 2.5.1 AIX 4.2 HP-UX 10.20	<i>FRAMEWORK/Unicenter/NwAgent</i>
<b>Legato Replica</b> Single Server and Intranet Edition	4.0.1	Windows NT 4.0	<i>Replica/SETUP.EXE</i>

## Legato Product Family CD-ROM

Application Module	Release	Application Releases	Location of Installation Binary
<b>SmartMedia</b>	<b>1.2</b>	Server: Solaris 2.5.1, 2.6, 7(Solaris 2.7), Windows NT (Intel) 4.0 Server Connections: Solaris 2.5.1, 2.6, 7 (Solaris 2.7), Windows NT (Intel) 4.0 Server, Compaq Tru64 UNIX 4.0.A, 4.0B, 4.0C, 4.0D, 4.0E, 4.0F	<i>Solaris: SMARTMEDIA/SOLARIS/  WinNT: SMARTMEDIA/I386/  Compaq Tru64: SMARTMEDIA/DIGITAL/</i>
	<b>1.3</b>	Connections: HP-UX 10.20, 11.0	<i>SMARTMEDIA/HPUX/</i>
<b>Legato GEMS Reporter</b>	<b>1.0</b>	Windows NT 4.0 Server	<i>REPORTER/I386/GSRSETUP.EXE</i>
<b>NetWorker Recovery Manager</b>	<b>1.0</b>	Automated Recovery Module for Solaris 2.5.1 and 2.6	<i>NWRECOVMGR/Nwrmgr.pkg</i>

**Note:** Files and pathnames on your CD-ROM might be displayed in uppercase or lowercase, depending on which operating system you use to access the CD-ROM.

<b>Legato Documentation Suite CD-ROM</b>			
<b>Application</b>	<b>Release</b>	<b>Document</b>	<b>Location on Documentation Suite CD</b>
<b>NetWorker for Windows NT 4.0</b> server, client and storage node for Intel and Alpha architectures	<b>5.5.1</b>	Installation Guide	<i>DOCS/windows/ntig.pdf</i>
		Administrator's Guide	<i>DOCS/windows/ntag.pdf</i>
		Release Supplement	<i>DOCS/windows/ntrs.pdf</i>
		Command Line Utilities Help	<i>DOCS/windows/cluhelp</i>
		Performance Tuning Guide	<i>DOCS/PERFTUNE.PDF</i>
		Disaster Recovery Guide	<i>DOCS/DISRECOV.PDF</i>
		Legacy Administrator's Guide	<i>DOCS/windows/ntlegacy.pdf</i>
		Technical Bulletins	<i>DOCS/BULLETIN.PDF</i>
<b>NetWorker for Windows NT 3.51</b> server, client and storage node for Intel and Alpha architectures  <b>Note:</b> Windows NT 3.51 can only view file names in uppercase.	<b>5.5.1</b>	Installation Guide	<i>DOCS/WIN351/NTIG.PDF</i>
		Administrator's Guide	<i>DOCS/WIN351/NTAG.PDF</i>
		Release Supplement	<i>DOCS/WIN351/NTRS.PDF</i>
		Command Line Utilities Help	<i>DOCS/WIN351/CLUHELP</i>
		Performance Tuning Guide	<i>DOCS/PERFTUNE.PDF</i>
		Disaster Recovery Guide	<i>DOCS/DISRECOV.PDF</i>
		Legacy Administrator's Guide	<i>DOCS/WIN351/NTLEGACY.PDF</i>
		Technical Bulletins	<i>DOCS/BULLETIN.PDF</i>

## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>NetWorker for UNIX</b> server, client and storage node for AIX, Compaq Tru64 UNIX, HP-UX, IRIX, Sequent, and Solaris operating systems	5.5.1	Installation Guide AIX	<i>DOCS/unix/aixig.pdf</i>
		Installation Guide DIGITAL UNIX (Compaq Tru64 UNIX)	<i>DOCS/unix/diguxig.pdf</i>
		Installation Guide HP-UX	<i>DOCS/unix/hpuxig.pdf</i>
		Installation Guide IRIX	<i>DOCS/unix/irixig.pdf</i>
		Installation Guide Sequent	<i>DOCS/unix/seqig.pdf</i>
		Installation Guide Solaris	<i>DOCS/unix/solig.pdf</i>
		Administrator's Guide	<i>DOCS/unix/uxag.pdf</i>
		Release Supplement	<i>DOCS/unix/uxrs.pdf</i>
		Performance Tuning Guide	<i>DOCS/PERFTUNE.PDF</i>
		Disaster Recovery Guide	<i>DOCS/DISRECOV.PDF</i>
		Technical Bulletins	<i>DOCS/BULLETIN.PDF</i>
<b>NetWorker for NetWare</b> server and client	4.12	Installation Guide	<i>DOCS/netware/nwig.pdf</i>
		Administrator's Guides	<i>DOCS/netware/ntnwgag.pdf</i>
			<i>DOCS/netware/nwag.pdf</i>
			<i>DOCS/netware/winag.pdf</i>
			<i>DOCS/netware/win95ag.pdf</i>
		Release Supplement	<i>DOCS/netware/nwrs.pdf</i>
		User's Guide	<i>DOCS/netware/winug.pdf</i>
		Disaster Recovery Guide	<i>DOCS/DISRECOV.PDF</i>
Technical Bulletins	<i>DOCS/BULLETIN.PDF</i>		

## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>Legato GEMS</b> control zone for Windows NT and Solaris	1.3	Installation Guide	<i>DOCS/gems/gemsig.pdf</i>
			<i>DOCS/gems/gemshtml/install/gemsig.htm</i>
		Administrator's Guide	<i>DOCS/gems/gemsag.pdf</i>
			<i>DOCS/gems/gemshtml/admin/gemsag.htm</i>
		Release Supplement	<i>DOCS/gems/gemsrs.pdf</i>
			<i>DOCS/gems/gemshtml/relsupp/gemsrs.htm</i>
<b>Legato GEMS Reporter</b>	1.0	Installation Guide	<i>DOCS/gems/reporter/reportig.pdf</i>
		Administrator's Guide	<i>DOCS/gems/reporter/admin/doc.html</i>
		Release Supplement	<i>DOCS/gems/reporter/reportrs.pdf</i>
<b>Legato NetWorker Recovery Manager</b>	1.0	Installation Guide	<i>DOCS/recovmgr/nrmig.pdf</i>
		Administrator's Guide	<i>DOCS/recovmgr/nrmag.pdf</i>
		Release Supplement	<i>DOCS/recovmgr/nrmrs.pdf</i>
<b>FullTime Cluster</b>	4.4	Concepts Guide	<i>DOCS/fulltime/cluster/concepts.pdf</i>
		Installation Guide	<i>DOCS/fulltime/cluster/install.pdf</i>
		Programming Guide	<i>DOCS/fulltime/cluster/prgguide.pdf</i>
		Qualified Resource Groups	<i>DOCS/fulltime/cluster/resgrps.pdf</i>
		SDK Guide	<i>DOCS/fulltime/cluster/sdkguide.pdf</i>
		User's Guide	<i>DOCS/fulltime/cluster/usrguide.pdf</i>

## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>FullTime Data NT</b>	<b>4.2</b>	Installation Guide, Windows NT	<i>DOCS/fulltime/datant/install.pdf</i>
		Message Log Guide, Windows NT	<i>DOCS/fulltime/datant/msglog.pdf</i>
		User's Guide, Windows NT	<i>DOCS/fulltime/datant/usrguide.pdf</i>
<b>FullTimeHA+</b>	<b>2.2</b>	Installation and Configuration Guide, AIX Version	<i>DOCS/fulltime/haplus/aix.pdf</i>
		Concepts Guide	<i>DOCS/fulltime/haplus/concepts.pdf</i>
		Installation and Configuration Guide, HP-UX Version	<i>DOCS/fulltime/haplus/hpux.pdf</i>
		Installation Instructions	<i>DOCS/fulltime/haplus/install.pdf</i>
		Installation and Configuration Guide, Solaris Version	<i>DOCS/fulltime/haplus/solaris.pdf</i>
<b>Legato DataCast</b>	<b>4.2</b>	User's Guide, AIX Version	<i>DOCS/datacast/aix.pdf</i>
		User's Guide, HP-UX Version	<i>DOCS/datacast/hpux.pdf</i>
		Installation Instructions	<i>DOCS/datacast/install.pdf</i>
		User's Guide, Solaris Version	<i>DOCS/datacast/solaris.pdf</i>
<b>Octopus</b>	<b>3.2</b>	Installation Guide, Windows NT and Windows 95/98	<i>DOCS/fulltime/octopus/install.pdf</i>
		Message Log Guide, Windows NT and Windows 95/98	<i>DOCS/fulltime/octopus/msglog.pdf</i>
		User's Guide, Windows NT and Windows 95/98	<i>DOCS/fulltime/octopus/usrguide.pdf</i>
<b>NetWorker HSM for Windows NT</b>	<b>1.1</b>	Installation and Administration Guide	<i>DOCS/windows/hsmntag.pdf</i>
		Release Supplement	<i>DOCS/windows/hsmntrs.pdf</i>



## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>NetWorker Remote for Windows NT (Intel)</b>	1.71	Installation Guide	<i>DOCS/remote/nwrig.pdf</i>
		Administrator's Guide	<i>DOCS/remote/nwrag.pdf</i>
		Quick Reference for Users	<i>DOCS/remote/nwruq.pdf</i>
		Administrator's Guide, Installation Guide, and User's Guide	<i>DOCS/remote/nwr.chm</i>
		Release Supplement	<i>DOCS/remote/nwrrs.pdf</i> <i>DOCS/remote/nwrrs.htm</i>
<b>NetWorker for EMC Symmetrix, UNIX Version for Oracle</b>	1.1	Installation and Administration Guide	<i>DOCS/emc/oracle/emcuxag.pdf</i>
		Release Supplement	<i>DOCS/emc/oracle/emcuxrs.pdf</i>
<b>NetWorker for EMC Symmetrix for SAP R/3 on Oracle, UNIX Version</b>	1.0	Installation and Administration Guide	<i>DOCS/emc/sap/emcsapag.pdf</i>
		Release Supplement	<i>DOCS/emc/sap/emcsaprs.pdf</i>
<b>NetWorker for Frameworks Module, HP IT/O Integration</b>	2.0	Administrator's Guide	<i>DOCS/frmwrks/hpitors/hpitoag.pdf</i>
		Release Supplement	<i>DOCS/frmwrks/hpitors/hpitors.pdf</i>
<b>NetWorker for Frameworks Module, Tivoli Integration</b>	2.0	Administrator's Guide	<i>DOCS/frmwrks/tivoli/tivoliag.pdf</i>
		Release Supplement	<i>DOCS/frmwrks/tivoli/tivolirs.pdf</i>
<b>NetWorker for Frameworks Module, Unicenter Integration</b>	1.1	Administrator's Guide	<i>DOCS/frmwrks/unicen/unicenag.pdf</i>
		Release Supplement	<i>DOCS/frmwrks/unicen/unicenrs.pdf</i>
<b>Legato SmartMedia</b>	1.2 (Solaris, Compaq Tru64 UNIX, Windows NT),	Installation and Administration Guide	<i>DOCS/smartmed/smag.pdf</i>
		Release Supplement	<i>DOCS/smartmed/smrs.pdf</i>
	1.3 (HP-UX)	Command Line Utilities Help	<i>DOCS/smartmed/cluhelp/index.htm</i>

## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>Legato Replica</b>	<b>4.0.1</b>	User's Guide	<i>DOCS/replica/repug.pdf</i>
			<i>DOCS/replica/rehtml/Manual.html</i>
<b>NetWorker ClientPak for Macintosh</b>	<b>2.0</b>	Installation Guide	<i>DOCS/mac/macig.pdf</i>
		User's Guide	<i>DOCS/mac/macug.pdf</i>
<b>NetWorker ClientPak for NetWare</b>	<b>4.13</b>	Installation Guide	<i>DOCS/netware/cpnwig.pdf</i>
<b>NetWorker ClientPak for UNIX</b>	<b>5.5.1</b>	Installation Guide	<i>DOCS/unix/cpuxig.pdf</i>
<b>NetWorker ClientPak for Windows NT 4.0</b>	<b>5.5.1</b>	Installation Guide	<i>DOCS/windows/cpwinig.pdf</i>
<b>NetWorker ClientPak for Windows NT 3.51</b>	<b>5.5.1</b>	Installation Guide	<i>DOCS/WIN351/CPWINIG.PDF</i>
<b>BusinessSuite Module for DB2 AIX</b>	<b>1.0</b>	Installation Guide	<i>DOCS/db2/bmdb2ig.pdf</i>
		Administrator's Guide	<i>DOCS/db2/bmdb2ag.pdf</i>
		Release Supplement	<i>DOCS/db2/bmdb2rs.pdf</i>
<b>BusinessSuite Module for Informix Windows NT and UNIX</b>	<b>1.1 (UNIX), 1.2 (Windows NT)</b>	Installation Guide, Windows NT	<i>DOCS/informix/bmintig.pdf</i>
		Installation Guide, UNIX	<i>DOCS/informix/bmiuxig.pdf</i>
		Administrator's Guide, Windows NT	<i>DOCS/informix/bmintag.pdf</i>
		Administrator's Guide, UNIX	<i>DOCS/informix/bmiuxag.pdf</i>
		Release Supplement, Windows NT	<i>DOCS/informix/bmintrs.pdf</i>
		Release Supplement, UNIX	<i>DOCS/informix/bmiuxrs.pdf</i>
		Command Line Utilities Help	<i>DOCS/informix/cluhelp</i>

## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>BusinessSuite Module for Lotus Notes</b> Windows NT and UNIX	1.1	Installation Guide	<i>DOCS/lotus/bmlotig.pdf</i>
		Administrator's Guide	<i>DOCS/lotus/bmlotag.pdf</i>
		Release Supplement	<i>DOCS/lotus/bmlotrs.pdf</i>
<b>BusinessSuite Module for Microsoft Exchange Server</b> Windows NT	1.1	Installation Guide	<i>DOCS/msexch/bmexcig.pdf</i>
		Administrator's Guide	<i>DOCS/msexch/bmexcag.pdf</i>
		Release Supplement	<i>DOCS/msexch/bmexcrs.pdf</i>
<b>BusinessSuite Module for Microsoft SQL Server</b> Windows NT	2.0	Installation Guide	<i>DOCS/mssql/bmsqlig.pdf</i>
		Administrator's Guide	<i>DOCS/mssql/bmsqlag.pdf</i>
		Release Supplement	<i>DOCS/mssql/bmsqlrs.pdf</i>
<b>BusinessSuite Module for Oracle</b> Windows NT	1.0 (Windows NT)	Installation Guide (1.0)	<i>DOCS/oracle/bmo1_0ig.pdf</i>
		Administrator's Guide (1.0)	<i>DOCS/oracle/bmo1_0ag.pdf</i>
		Release Supplement (1.0)	<i>DOCS/oracle/bmo1_0rs.pdf</i>
<b>BusinessSuite Module for Oracle</b> Windows NT and UNIX	2.1.2 (Windows NT (Intel), UNIX), 2.1.3 (Windows NT (Alpha)), 2.2 (HP-UX 11.0 (32-bit))	Installation Guide	<i>DOCS/oracle/bmoig.pdf</i>
		Administrator's Guide	<i>DOCS/oracle/bmoag.pdf</i>
		Release Supplement	<i>DOCS/oracle/bmors.pdf</i>

## Legato Documentation Suite CD-ROM

Application	Release	Document	Location on Documentation Suite CD
<b>BusinessSuite Module for SAP R/3 on Oracle</b> Windows NT and UNIX	1.4 (HP-UX, Solaris), 1.3 (AIX, Compaq Tru64 UNIX, Windows NT (Intel)), 1.2.3 (Windows NT (Alpha))	Installation Guide	<i>DOCS/sap/bmsapig.pdf</i>
		Administrator's Guide	<i>DOCS/sap/bmsapag.pdf</i>
		Release Supplement	<i>DOCS/sap/bmsaprs.pdf</i>
<b>BusinessSuite Module for Sybase</b> UNIX	1.0	Installation Guide	<i>DOCS/sybase/bmsyuxig.pdf</i>
		Administrator's Guide	<i>DOCS/sybase/bmsyuxag.pdf</i>
		Release Supplement	<i>DOCS/sybase/bmsyrs.pdf</i>
<b>Adobe Acrobat Reader</b>	3.01	Acrobat for AIX Acrobat for Compaq Tru64 UNIX Acrobat for HP-UX Acrobat for IRIX Acrobat for Linux Acrobat for Macintosh Acrobat for Solaris Acrobat for SunOS Acrobat for Windows 95 Acrobat for Windows NT	<i>ACROREAD/AIX/ACROREAD.TAR</i> <i>ACROREAD/DIGITAL/ACROREAD.TAR</i> <i>ACROREAD/HPUX/ACROREAD.TAR</i> <i>ACROREAD/IRIX/ACROREAD.TAR</i> <i>ACROREAD/LINUX/ACROREAD.TAR</i> <i>ACROREAD/MAC/ardr301e.bin</i> <i>ACROREAD/SOLARIS/ACROREAD.TAR</i> <i>ACROREAD/SUNOS/ACROREAD.TAR</i> <i>ACROREAD/WIN95/ACROREAD.EXE</i> <i>ACROREAD/WINNT4/ACROREAD.EXE</i>
			<i>ACROREAD/readme.txt</i>
<b>GNU Ghostscript</b>	4.03	Ghostscript for DYNIX/ptx	<i>gsprint/gsprint.tar</i>
			<i>gsprint/readme.txt</i>

# Installing Your Software

## Find your software and documentation files

1.	<p>Use a text editor to view the <i>README.TXT</i> file on the Legato Documentation Suite CD.</p> <p>On Windows NT, the <i>README.TXT</i> file automatically opens in Notepad. To access the files on the CD, open My Computer, select the CD drive, and then select File&gt;Open.</p>
2.	<p>Determine whether the Adobe Acrobat Reader software is installed on your computer. If it is not installed, find the appropriate file on the Legato Documentation Suite CD under / <i>ACROREAD</i>. Use a login account with Administrator or root privileges to install this software on your computer.</p> <p>For UNIX platforms, copy the <i>.TAR</i> file from the directory for your platform to a temporary extraction directory. Use the <b>tar</b> command with the appropriate options for your platform to extract the file. After the extraction is complete, use the <b>.INSTALL</b> command to install Acrobat Reader.</p> <p>For Sequent DYNIX/ptx platforms, you need the GNU Ghostscript software installed. The binary is located under <i>/gsprint</i>. You can refer to the <i>README.TXT</i> file under <i>/gsprint</i> for instructions on how to install the software and refer to the GNU Ghostscript documentation for information on how to print a PDF file.</p> <p>For Windows platforms, the installation binary for Acrobat Reader is in a self-extracting executable.</p> <p>For Macintosh platforms, copy the file to your hard drive and then use Stuff-It Expander to open it.</p> <p>To view the Microsoft help file, <i>DOCS/remote/nwr.chm</i>, on the NetWorker Remote product, you can use the Microsoft Help viewer on your Windows NT system. If you have an older version of Internet Explorer, you might need to download the latest version of the Microsoft help file executable, <i>hhupd.exe</i>, from the Microsoft web site at <a href="http://www.msdn.microsoft.com/workshop/author/htmlhelp/distrib.asp">www.msdn.microsoft.com/workshop/author/htmlhelp/distrib.asp</a>.</p>
3.	<p>Find the installation documentation (<i>Installation Guide</i>) for your product on the Legato Documentation Suite CD and use the Acrobat Reader software (or Ghostscript software) to view or print the installation instructions.</p> <p>For late-breaking tips or information, read the <i>Release Supplement</i> for your product, if one is available. Visit the Legato web site at <a href="http://www.legato.com">www.legato.com</a> to obtain the latest updates to the <i>Release Supplement</i> and other documentation for your product.</p>
4.	<p>Read the “<i>Roadmap to Your Legato Applications</i>” tables on page 3 to determine which CD and directory path contain the software you want to install.</p>

## Install the software

1.	Verify that your computer meets the minimum hardware and software requirements, listed in the installation instructions for your product.
2.	Insert the product CD that includes the software you want to install in your computer's CD-ROM drive.
3.	Install and configure the software according to the instructions in the installation documentation for your product. Your product documentation may include an <i>Administrator's Guide</i> , which contains additional information to guide you through the configuration process.
4.	Customize your product to your environment, as needed. Refer to the documentation on the Legato Documentation Suite CD as well as your product's online help to learn about your product's features.

## To evaluate the software

1.	<p><b>To evaluate Solstice Backup server software products</b></p> <p>You do not need to enter enabler codes to evaluate any of the optional Solstice Backup software products within the 30-day evaluation period. To use the Solstice Backup software beyond the 30-day trial evaluation, you must purchase an enabler code for the software you want to use. See below for details.</p> <p><b>To evaluate optional modules except Power Edition</b></p> <p>a) Ensure that your Solstice Backup server software is enabled.</p> <p>b) Enter the evaluation enabler code for the product you want to evaluate. After you enter the code, you can evaluate the product with your existing Legato Backup server software for 45 days. See the "Enabler Code" table on page 22 for the 45-day enabler code for your Solstice Backup product.</p> <p><b>Important:</b> You cannot enter a Power Edition evaluation enabler on your system if you have already entered a Network or WorkGroup Edition base enabler. To evaluate Power Edition in your existing Solstice Backup environment, you must delete your base enabler. Please call Technical Support for instructions.</p>
----	--

## To register the software for permanent use

1.	<p><b>To permanently enable a new Solstice Backup software product</b></p> <p>You need the enabler code on the certificate to permanently enable and register the Solstice Backup product you purchased. This Enabler Certificate was sent separately from the product package.</p> <p><b>To update an existing Solstice Backup software product</b></p> <p>a) Use the enabler code provided in the letter you received that announced the updated software.</p> <p>b) Generate a new copy of the information shown in the Registration window and e-mail, fax, or mail the completed form to Sun License Center. A new authorization code that permanently enables your updated Solstice Backup software will be returned for you to enter in the Registration window.</p>
2.	Enter the permanent or update enabler code for your product according to the installation instructions.
3.	<p>Within 45 days of entering the enabler code, you must register your product as described in the installation instructions. After Sun License Center receives your completed registration, an authorization code is returned to you to permanently enable your product.</p> <p>To register and authorize your Solstice Backup products, contact the Sun License Center.</p>
4.	Enter the authorization code for your product as described in the installation instructions.

# 45-Day Evaluation Enabler Codes

NetWorker 45-Day Evaluation Enabler Codes		
Backup Product		45-Day Evaluation Enabler Code
<b>NetWorker for UNIX</b> <b>NetWorker for Windows NT</b> server options	Unlimited Slot Jukebox Module	131eea-298758-cb9f4a
	Storage Node 1	f57277-ad693a-2917ac
	Storage Node 2	75f2f7-2de9ba-a9902c
	Storage Node 3	f67378-ac6a3b-2e10af
	100 Client Connections	8c8e0e-2b00d1-4023c5
	Archive	e76c69-a87b2c-3f8fbe
	*HSM (NetWorker server for Solaris only)	d75c59-9e4b1c-0fbf8e
<b>ClientPak for Macintosh</b>		a2a724-7f5ef0-6e0fe8
<b>ClientPak for NetWare</b>		db585d-862737-5a3ca1
<b>ClientPak for PC Desktops</b>		62e7e4-329eb1-d2d428
<b>ClientPak for UNIX</b>		030085-d0ff5a-2f3149
<b>ClientPak for Windows NT</b>		49cecb-15b598-e86513
<b>BusinessSuite Module for DB2</b> AIX client		9a811c-4166df-2394e0
<b>BusinessSuite Module for Informix</b> UNIX and Windows NT clients		UNIX client: cc494e-872811-52f796
		Windows NT client: f06b72-bb0c35-76d3ba
<b>BusinessSuite Module for Lotus Notes</b> UNIX and Windows NT clients		UNIX 4.5 or higher client: 253ca7-e4d16a-af506f
		UNIX 4.2.5 client: 3fc4c1-0ebb84-c68f05
		Windows NT client: 253ca7-e4d16a-af506f
<b>BusinessSuite Module for Microsoft Exchange Server</b> Windows NT client		UNIX client: 272ca9-e1d362-2e486d
		Windows NT client: 7f9a01-497bca-b2a5c5
<b>BusinessSuite Module for Microsoft SQL Server</b> Windows NT client		UNIX client: 74f1f6-3e80b7-4d7d3e
		Windows NT client: 203ba2-eadc6b-11516a
<b>BusinessSuite Module for Oracle</b> Windows NT client (1.0)		4cd7ce-09a89f-66dc16
<b>BusinessSuite Module for Oracle</b> UNIX and Windows NT clients		UNIX client: a4a126-6150e7-9edcee
		Windows NT client: e07b62-a51c25-66c3aa



## NetWorker 45-Day Evaluation Enabler Codes

Backup Product	45-Day Evaluation Enabler Code
<b>BusinessSuite Module for SAP/R3 on Oracle</b> UNIX and Windows NT clients	UNIX client: b0b532-7c4cfa-3700fa
	Windows NT client: 1e05a0-eeda6c-d52164
<b>BusinessSuite Module for Sybase</b> UNIX client	969318-5e62ce-b4b2dc
<b>NetWorker Power Edition</b> <i>Before installing this enabler, read the important note preceding this table.</i>	UNIX server: 40d9c2-09bc8a-b3d90a
	Windows NT server: f16073-be0d24-a640bb
<b>NetWorker for Frameworks Module</b> UNIX and Windows NT servers	9fa421-435be4-0681e5
<b>GEMS Reporter, 25 connections</b>	UNIX server connections: NBR3CWDF-XVVPKEPT-FS2SPGPC
	Windows NT server connections: 0D2QFHGX-925VL2SC-RVT1LTWD
<b>NetWorker Automated Recovery Manager</b>	UNIX and NT server connections: MYSK0VMJ-XGS7DDYQ-FE1A4K79
	5 Automated Recovery Modules: RG44T3XM-25BR7M0M-2HPV39EN

