



Solstice Backup™ 6.1 Roadmap

Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94303
U.S.A. 650-960-1300

Part No. 816-1415-10
August 2001, [Revision A](#)

[Send comments about this document to: docfeedback@sun.com](mailto:docfeedback@sun.com)

Copyright 2001 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, CA 94303-4900 U.S.A. All rights reserved.

This product or document is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, AnswerBook2, docs.sun.com, Solstice Backup, Java, SunOS, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. Legato NetWorker[®] is a registered trademark of Legato Systems, Inc.

The OPEN LOOK and Sun[™] Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements. PostScript is a trademark or registered trademark of Adobe Systems, Incorporated, which may be registered in certain jurisdictions.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2001 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, CA 94303-4900 Etats-Unis. Tous droits réservés.

Ce produit ou document est distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, AnswerBook2, docs.sun.com, Solstice Backup, Java, SunOS, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc. Legato NetWorker[®] est un marque déposée de Legato Systems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun[™] a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun. PostScript est une marque de fabrique d'Adobe Systems, Incorporated, laquelle pourrait être déposée dans certaines juridictions.

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFAÇON.



Contents

- 1. Solstice Backup 6.1 Roadmap 1**
 - Media Kit CD-ROMs 2
 - Solstice Backup Servers, Clients, and Storage Nodes CD-ROMs 2
 - NetWorker Modules CD-ROM 2
 - Documentation Suite CD-ROM 3
- 2. Tables of Solstice Backup and Related Information Protection Products 5**
 - Solstice Backup Servers, Clients, and Storage Nodes CD-ROMs 5
 - NetWorker Modules CD-ROM 7
 - Maintenance Releases 12
- 3. Table of Product Documentation 13**
 - Documentation Suite CD-ROM 14
- 4. Installing and Registering Your Software 25**
 - Installing Your Software 25
 - Locating Your Software 25
 - Locating Your Installation Documentation 26
 - Viewing Documentation 26
 - Enabling and Registering Solstice Backup and NetWorker Module Products 28
 - Temporary Use With a Built-in Enabler Code 28

Temporary Use With an Evaluation Enabler Code 29

Permanent Use With a Purchased Enabler Code, Registration, and
Authorization Key 30

45-Day Evaluation Enabler Codes 33

Solstice Backup 6.1 Roadmap

Thank you for purchasing the Solstice Backup™ family of information protection products. This media kit includes the Sun-branded Solstice Backup 6.1 software, along with Solstice Backup 6.1 installation and administration documentation. This kit also includes software and documentation for Legato NetWorker products that are fully compatible with the Solstice Backup software.

To permanently use a product in this kit, you must purchase a license for that product from Sun. You may have already purchased a license at the same time you purchased this media kit. Or you may have purchased only this media kit to allow yourself some time to evaluate the software before purchasing any licenses.

If you purchased the media kit alone, you will have a limited number of days after the installation of a particular product to use and evaluate that product, as explained in [“Enabling and Registering Solstice Backup and NetWorker Module Products” on page 28](#). After the evaluation period, backups will no longer be allowed without a license.

To continue using products after evaluation, you must purchase the required licenses. After a license is purchased Sun sends an enabler certificate, which contains an enabler code and instructions on how to register the product for permanent use. Even if you purchase the license at the same time as the media kit, the enabler certificate will always arrive separately from the media kit. For more information, see [“Permanent Use With a Purchased Enabler Code, Registration, and Authorization Key” on page 30](#).

This document helps you navigate through this media kit. It contains:

- Media Kit CD-ROMs ([page 2](#))
- Tables of Solstice Backup products on each CD-ROM ([page 5](#))
- Table of available maintenance releases for Solstice Backup software ([page 12](#))
- Table of Solstice Backup product documentation ([page 13](#))
- Installation and registration instructions ([page 25](#))
- Table of available Solstice Backup evaluation enabler codes ([page 33](#))

Media Kit CD-ROMs

This media kit contains four CD-ROMs that comprise Solstice Backup 6.1 software and documentation and Legato NetWorker software and documentation.

Solstice Backup Servers, Clients, and Storage Nodes CD-ROMs

These Two CD-ROMs include:

- Solstice Backup server, client, and storage node software for the Solaris™ operating environment (SPARC™).
- *Solstice Backup 6.1 Administrator's Guide* and *Solstice Backup 6.1 Installation Guide*. The reader for these document files is on the Documentation Suite CD-ROM.
- NetWorker client and storage node software for UNIX® operating systems, including AIX, Compaq Tru64 UNIX, HP-UX, Solaris (SPARC), SGI IRIX, and Sequent DYNIX/ptx.
- NetWorker client and storage node software for Microsoft Windows NT (Intel and Alpha) and Microsoft Windows 2000 (Intel).
- NetWorker client software for Microsoft Windows 95, Microsoft Windows 98, Solaris (Intel), and SunOS™ operating environments.
- NetWorker client software for NetWare.

NetWorker Modules CD-ROM

This CD-ROM includes:

- NetWorker Modules for Microsoft Windows NT and UNIX clients that support a wide variety of leading database applications, including Microsoft SQL Server, SAP R/3, Oracle, Informix, DB2, and Sybase.
- Support for messaging, such as NetWorker Modules for Lotus Notes and Microsoft Exchange Server.
- NetWorker Module for EMC² Symmetrix for Oracle (for support information about this NetWorker Module, see ["NetWorker Modules CD-ROM" on page 7](#)).
- NetWorker Module for EMC² Symmetrix for SAP R/3 on Oracle (for support information about this NetWorker Module, see ["NetWorker Modules CD-ROM" on page 7](#)).

Documentation Suite CD-ROM

This CD-ROM includes documentation in addition to the Solstice Backup 6.1 administration and installation guides that are in the /SBUDOCs directory of volume 1 of the Solstice Backup Servers, Clients, and Storage Nodes CD-ROM. This CD-ROM includes:

- Documentation for NetWorker and other information protection software. Most of the documentation files are in Adobe[®] Acrobat (*.pdf*); some are in HTML and PostScript[™] formats.
- Adobe Acrobat reader software, for reading and printing Acrobat (*.pdf*) files.
- GNU Ghostscript software, for reading and printing PostScript (*.ps*) files (supplied for users of the DYNIX/ptx operating system, which is not supported by Adobe Acrobat reader).

Tables of Solstice Backup and Related Information Protection Products

Your computer might display filenames and pathnames on your CD-ROM in upper case or lower case, depending on which operating system you use to access the CD-ROM.

Solstice Backup Servers, Clients, and Storage Nodes CD-ROMs

The table below lists the contents of the Solstice Backup Servers, Clients, and Storage Nodes CD-ROM.

Sun does not support NetWorker XDSM HSM for Solaris, found on the Solstice Backup Servers, Clients, and Storage Nodes CD-ROM Volume 1. In addition, the NetWorker for NetApp Client is not supported by Sun at this time. For more information about these two products, contact Legato Systems at sun@legato.com.

TABLE 2-1 Solstice Backup Servers, Clients, and Storage Nodes CD-ROM Volume 1

Application	Release	Operating System Releases	Location of Installation Binary
Solstice Backup Server, client, storage node, and documentation	6.1 Updated	Solaris 2.6, 7, 8	SOLARIS/sparc/ SOLARIS/x86/ SBUDOCs/
NetWorker for AIX Client and storage node	6.1 Updated	AIX 4.2, 4.2.1, 4.3, 4.3.1, 4.3.2, 4.3.3	AIX/NETWORKR.TAR

TABLE 2-1 Solstice Backup Servers, Clients, and Storage Nodes CD-ROM
Volume 1 (Continued)








Application	Release	Operating System Releases	Location of Installation Binary
NetWorker for Compaq Tru64 UNIX Client and storage node	6.1 	Tru64 UNIX 4.0D, 4.0E, 4.0F, 4.0G, 5.0A, 5.1	TRU64/
NetWorker for HP-UX Client and storage node	6.1 	HP-UX 10.01, 10.10, 10.20, 10.30	HPUX10/NETWORKR.PKG
		HP-UX 11.0	HPUX11_32/NETWORKR.PKG
NetWorker for SGI IRIX Client and storage node	6.0.2 	Storage node: IRIX 6.2, 6.4, 6.5, 6.5.1, 6.5.2, 6.5.3, 6.5.4, 6.5.5, 6.5.6, 6.5.7, 6.5.8 Client: IRIX 6.2, 6.3 (O2 only), 6.4, 6.5, 6.5.1, 6.5.2, 6.5.3, 6.5.4, 6.5.5, 6.5.6, 6.5.7, 6.5.8	SGI/NETWORKR.TAR
NetWorker for Microsoft Windows Client and storage node	6.1 	Microsoft Windows NT 4.0 (Intel) SP 6a Microsoft Windows 2000	WIN32\WINNT\ networkkr\setup.exe
NetWorker for Linux Server, client, and storage node	6.1 	Red Hat 6.0, 6.1, 6.2 Caldera 2.3, 2.4 SUSE 6.4, 7.0 Turbolinux 6..0	LINUX86/
NetWorker for Microsoft Windows Client	5.5.3	Microsoft Windows 98, Microsoft Windows 95	WIN32\WIN9X\ networkkr\setup.exe
NetWorker XDSM HSM for Solaris Client	6.1 	Solaris 2.6	SOLARIS/XDSMHSM/

TABLE 2-2 Solstice Backup Servers, Clients, and Storage Nodes CD-ROM
Volume 2

Application	Release	Operating System Releases	Location of Installation Binary
NetWorker for Sequent DYNIX/ptx Client and storage node	6.0.2 <small>Updated</small>	DYNIX/ptx 4.2.3, 4.4.2, 4.4.4, 4.4.6, 4.4.7, 4.4.8	SEQUENT/NETWORKR.PKG
NetWorker for SunOS Client	4.2.6	SunOS 4.1.3, 4.1.4	SUNOS/NETWORKR.TAR
NetWorker for NetWare Client	4.15	NetWare 3.12, 3.2, 4.10 (including SMP), 4.11 (including SMP), 4.2, 5.0, 5.1	NETWARE/CLIENTPK/
NetWorker for NetWare Server	4.15	NetWare 4.11 (including SMP), 5.0, 5.1	NETWARE/NWSERVER/

NetWorker Modules CD-ROM

The table below lists the contents of the NetWorker Modules CD-ROM.

Sun does not sell or support the following products found on the NetWorker Application Modules CD-ROM, included in your media kit:

- NetWorker Module for EMC² Symmetrix for SAP R/3 on Oracle
- NetWorker Module for EMC² Symmetrix for Oracle

The two products described above are currently available only from Legato Systems, Inc. Contact sun@legato.com for pricing and ordering information.

TABLE 2-3 NetWorker Modules CD-ROM

Module	Release	Business Application Releases	Operating System Releases	Location of Installation Binary
Legato NetWorker Module for DB2	1.2	DB2 Universal Database Server 6.1 or later	AIX 4.2.x, 4.3.x	DB2/AIX_32/
			Solaris 2.6, 7, 8	DB2/SOLARIS_32/
			Windows NT 4.0 Windows 2000	DB2\I386\
Legato NetWorker Module for EMC² Symmetrix for Oracle	1.3	Oracle 7.3.x or Oracle 8.0.x	HP-UX 10.2, 11.0 (64-bit)	NWEO/HPUX10/
			Solaris 2.6	NWEO/SOLARIS/

TABLE 2-3 NetWorker Modules CD-ROM (Continued)

Module	Release	Business Application Releases	Operating System Releases	Location of Installation Binary
Legato NetWorker Module for EMC² Symmetrix for SAP R/3 on Oracle	1.1	SAP R/3 3.1G and BR-Tools 4.0B with Oracle 7.3.x or Oracle 8.0.x	HP-UX 10.2 (64-bit app)	<i>SAPR3/hpux/</i>
			HP-UX 11.0 (64-bit app)	<i>SAPR3/hpux11_32/</i>
			Solaris 2.6	<i>SAPR3/solaris/</i>
Legato NetWorker Module for Informix	2.0	Informix 7.3x, 9.2	AIX 4.2.1, 4.3 (32-bit)	<i>INFORMIX/AIX_32/</i>
		Informix 7.3x, 8.3, 9.2	AIX 4.3.2 (32-bit)	
		Informix 7.3x, 8.3, 9.2, 9.2.1	AIX 4.3.3 (32-bit)	
		Informix 7.3x, 8.3	AIX 4.3.2, 4.3.3 (64-bit)	<i>INFORMIX/AIX_64/</i>
		Informix 7.3x, 8.3, 9.2	HP-UX 10.x	<i>INFORMIX/HPUX10/</i>
		Informix 7.3x, 8.3, 9.2	HP-UX 11.x (32-bit)	<i>INFORMIX/HPUX11_32/</i>
		Informix 7.3x, 8.3, 9.2	HP-UX 11.x (64-bit)	<i>INFORMIX/HPUX11_64/</i>
		Informix 7.3x, 8.21, 8.3, 9.2, 9.21	Solaris 2.6	<i>INFORMIX/SOLARIS_32/</i>
		Informix 7.3x, 8.3, 9.2	Solaris 7 (32-bit)	
		Informix 7.3x, 9.2	Solaris 7 (64-bit)	<i>INFORMIX/SOLARIS_64/</i>
		Informix 7.3x, 8.3, 9.2, 9.2.1	Tru64 UNIX 4.0 (D-F), 5.0A, 5.1	<i>INFORMIX/TRU64/</i>
		Informix 7.3x, 9.2	Windows NT 4.0 (Intel) Windows 2000	<i>INFORMIX\I386\NETWORKR\</i>

TABLE 2-3 NetWorker Modules CD-ROM (*Continued*)

Module	Release	Business Application Releases	Operating System Releases	Location of Installation Binary
Legato NetWorker Module for Lotus	2.1	Lotus/Domino 5.0.3, 5.0.4, 5.0.6	Linux: RedHat 6.1, 6.2, SuSE 6.4	<i>lotus/2.1/linux86/</i>
			Solaris 7 (32 & 64-bit), Solaris 8	<i>lotus/2.1/solaris/</i>
			Windows NT 4.0 (Intel) SP 4, 5 Windows 2000	<i>lotus\2.1\i386\networkr\</i>
		Lotus/Domino 5.0.3, 5.0.6	AIX 4.3.1 (32-bit)	<i>lotus/2.1/aix/</i>
	1.2	Lotus 4.1 and later, and Domino 4.5x, 4.6x	AIX 4.1.4, 4.2, 4.3 (32-bit)	<i>lotus/1.2/AIX/</i>
			Solaris 2.6, 7 (32-bit)	<i>lotus/1.2/SOLARIS/</i>
Windows NT 4.0 (Intel) SP 4 and later			<i>lotus\1.2\I386\networkr\</i>	
Legato NetWorker Module for Microsoft Exchange Server	3.0.11	Microsoft Exchange 2000 Server, Microsoft Exchange 2000 Enterprise Server	Windows 2000	<i>MSEXCHNG\3.0.11\NETWORKR\</i>
	3.0			<i>MSEXCHNG\3.0\NETWORKR\</i>
	2.0-004	Microsoft Exchange Server 5.0, 5.5	Windows NT 4.0 (Intel) Windows 2000	<i>MSEXCHNG\2.0-004\I386\NETWORKR\</i>
			Windows NT 4.0 (Alpha)	<i>MSEXCHNG\2.0-004\ALPHA\NETWORKR\</i>
	2.0-003	Microsoft Exchange Server 5.0, 5.5	Windows NT 4.0 (Intel) Windows 2000	<i>MSEXCHNG\2.0-003\I386\NETWORKR\</i>
			Windows NT 4.0 (Alpha)	<i>MSEXCHNG\2.0-003\ALPHA\NETWORKR\</i>

TABLE 2-3 NetWorker Modules CD-ROM (Continued)

Module	Release	Business Application Releases	Operating System Releases	Location of Installation Binary
Legato NetWorker Module for Microsoft SQL Server	3.0.1	Microsoft SQL Server 7.0 and 2000	Windows NT 4.0 (Intel)	<i>MSSQLSVR\3.0.1\NETWORKR\</i>
	3.0		Windows 2000	<i>MSSQLSVR\3.0\NETWORKR\</i>
Legato NetWorker Module for Oracle	3.1	Oracle 8i	Linux: Caldera Red Hat SuSE	<i>ORACLE/ORACLE8/LINUX86/</i>
		Oracle 8, 8i	Solaris (Intel) (32-bit)	<i>ORACLE/ORACLE8/SOL86/</i>
			Windows NT 4.0 Windows 2000	<i>ORACLE\ORACLE8\I386\NETWORKR\</i>
	3.0	Oracle 8, 8i	AIX (32-bit)	<i>ORACLE/ORACLE8/AIX_32/</i>
			AIX (64-bit)	<i>ORACLE/ORACLE8/AIX_64/</i>
			HP-UX 11.0 (32-bit)	<i>ORACLE/ORACLE8/HPUX11_32/</i>
			HP-UX 11.0 (64-bit)	<i>ORACLE/ORACLE8/HPUX11_64/</i>
			Tru64 UNIX	<i>ORACLE/ORACLE8/TRU64/</i>
		Oracle 8	HP-UX 10.20	<i>ORACLE/ORACLE8/HPUX10/</i>
		Oracle 8, 8i	IBM (Sequent) DYNIX/ptx	<i>ORACLE/ORACLE8/SEQUENT/</i>
		Oracle 8	SGI IRIX (32-bit)	<i>ORACLE/ORACLE8/SGI/</i>
		Oracle 8, 8i	Solaris 2.6, 7, 8 (32-bit)	<i>ORACLE/ORACLE8/SOLARIS_32/</i>
	Oracle 8i	Solaris 7, 8 (64-bit)	<i>ORACLE/ORACLE8/SOLARIS_64/</i>	

TABLE 2-3 NetWorker Modules CD-ROM (Continued)

Module	Release	Business Application Releases	Operating System Releases	Location of Installation Binary
Legato NetWorker Module for Oracle (Continued)	2.2	Oracle 7.3.4	HP-UX 11.0 (32-bit)	ORACLE/ORACLE7/ HPUX11_32/
	2.1.3	Oracle 8	Windows NT (Alpha)	ORACLE\ORACLE8\ ALPHA\NETWORKR\
	2.1.2	Oracle 7.3.4	AIX (32-bit)	ORACLE/ORACLE7/ AIX_32/
			HP-UX 10.x	ORACLE/ORACLE7/ HPUX10/
			Solaris 2.6, 7, 8 (32-bit)	ORACLE/ORACLE7/ SOLARIS_32/
			Tru64 UNIX	ORACLE/ORACLE7/ TRU64/
			Windows NT (Intel)	ORACLE\ORACLE7\I386\ NETWORKR\
Legato NetWorker Module for SAP R/3 on Oracle	2.1	SAP R/3 4.6 with Oracle 8, 8i	Linux: Red Hat 6.1, 6.2	SAPR3/2.1/linux86/
			AIX 4.3x (32 and 64-bit)	SAPR3/2.1/AIX/
			HP-UX 10.2 (32-bit)	SAPR3/2.1/HPUX/
			HP-UX 11.0 (32 and 64-bit)	SAPR3/2.1/HPUX11_32/
			Solaris 2.6, 7 (32-bit)	SAPR3/2.1/SOLARIS/
			Tru64 UNIX 4.0 D-G, 5.0A, 5.1	SAPR3/2.1/TRU64/
	SAP R/3 4.0 with Oracle 8, 8i SAP R/3 4.5 with Oracle 8, 8i SAP R/3 4.6 with Oracle 8, 8i	Windows NT 4.0 (Intel) SP 4 or later Windows 2000	SAPR3\2.1\I386\ networkr\	

TABLE 2-3 NetWorker Modules CD-ROM (*Continued*)

Module	Release	Business Application Releases	Operating System Releases	Location of Installation Binary
Legato NetWorker Module for Sybase	2.0	Sybase ASE 12.0	AIX 4.3.2 (32-bit and 64-bit)	SYBASE/SYB2_0/AIX/
			HP-UX 11.0 (32-bit and 64-bit)	SYBASE/SYB2_0/HPUX/
			Solaris 2.6, 7 (32-bit and 64-bit)	SYBASE/SYB2_0/SOLARIS/
			Windows NT 4.0 (Intel) SP 4 or later	SYBASE\SYB2_0\i386\networkr\
	1.1	Sybase SQL Server 11.x and Sybase ASE 11.x	Windows NT 4.0 (Intel) SP 4 or later	SYBASE\SYB1_X\i386\networkr\
	1.0	Sybase SQL Server 11.x and Sybase ASE 11.x	AIX 4.1.4, 4.1.4.1, 4.1.5, 4.2, 4.3.2 (32-bit and 64-bit)	SYBASE/SYB1_X/AIX/
			HP-UX 10.20, 10.30, 11.0 (32-bit and 64-bit)	SYBASE/SYB1_X/HPUX/
			Solaris 2.6, 7 (32-bit and 64-bit)	SYBASE/SYB1_X/SOLARIS/

Maintenance Releases

There are no maintenance releases in this release of Solstice Backup.

Table of Product Documentation

Solstice Backup documentation is found on the Solstice Backup Servers, Clients, and Storage Nodes CD-ROM, Volume 1, in the SBUDOCS directory.

The Documentation Suite CD-ROM contains current Legato documentation. In addition to the product documentation provided on the Documentation Suite CD-ROM, Legato also offers an extensive archive of product documentation at its web site at *www.legato.com*.

Note – The Documentation Suite CD-ROM contains some documentation for products that are not supported by Sun and not included on your Solstice Backup Media Kit CD-ROMs. However, all of the products documented in the following table are compatible with Solstice Backup. To purchase products documented here, but not supported by Sun, contact Legato Systems, Inc., at *sun@legato.com*.

Your computer might display filenames and pathnames on your CD-ROM in upper case or lower case, depending on which operating system you use to access the CD-ROM.

Documentation Suite CD-ROM

The table below lists the contents of the Documentation Suite CD-ROM.

TABLE 3-1 Documentation Suite CD-ROM

Application	Release	Document	Location of Electronic Documentation
Legato NetWorker for UNIX Server, client, storage node for AIX, Compaq Tru64 UNIX, HP-UX, Linux, and Solaris operating systems	6.1	Updated Installation Guide AIX	<i>networker/unix/aixig.pdf</i>
		Updated Installation Guide Compaq Tru64 UNIX	<i>networker/unix/tru64ig.pdf</i>
		Updated Installation Guide HP-UX	<i>networker/unix/hpuxig.pdf</i>
		Updated Installation Guide Linux	<i>networker/unix/linuxig.pdf</i>
		Updated Installation Guide Solaris	<i>networker/unix/solig.pdf</i> (Solstice Backup users refer to /SBUDOCs/sbuig.pdf on SBU sw CD vol 1)
		Updated Administrator's Guide	<i>networker/unix/uxag.pdf</i> <i>networker/unix/uxag.ps</i> (Solstice Backup users refer to /SBUDOCs/sbuag.pdf on SBU sw CD vol 1)
		Updated Release Supplement	<i>networker/unix/uxrs.pdf</i> <i>networker/unix/uxrs.ps</i>
		Updated Command Reference Guide	<i>command_reference/command.pdf</i>
		Command Reference Guide Usage Instructions	<i>command_reference/readme.txt</i>
		Performance Tuning Guide	<i>networker/perftune.pdf</i> <i>networker/perftune.ps</i>
		Updated Disaster Recovery Guide	<i>networker/disrec.pdf</i> <i>networker/disrec.ps</i>
		Updated Error Message Guide	<i>networker/errormsg.pdf</i> <i>networker/errormsg.ps</i>

TABLE 3-1 Documentation Suite CD-ROM (Continued)

Application	Release	Document	Location of Electronic Documentation
Legato NetWorker for NetWare Server and client	4.15	Installation Guide	<i>networker/netware/nwig.pdf</i>
		Administrator's Guide (Windows NT user interface)	<i>networker/netware/ntnwgag.pdf</i>
		Administrator's Guide (NetWare user interface)	<i>networker/netware/nwgag.pdf</i>
		Administrator's Guide (Windows 95 user interface)	<i>networker/netware/win95ag.pdf</i>
		Release Supplement	<i>networker/netware/nwrs.pdf</i>
		User's Guide (Windows Product Family)	<i>networker/netware/winuser.pdf</i>
		 Disaster Recovery Guide	<i>networker/disrec.pdf</i>
		 Error Message Guide	<i>networker/errormsg.pdf</i>
 Technical Bulletins	<i>bulletins/index.html</i>		
Legato NetWorker ClientPak® for NetApp	5.5.1	 Installation Guide	<i>networker/netapp/netappig.pdf</i>
		 Release Supplement	<i>networker/netapp/netappr.pdf</i>
Legato NetWorker ClientPak for NetWare	4.15	Installation Guide	<i>networker/netware/cpnwig.pdf</i>
Legato NetWorker ClientPak for UNIX AIX, Compaq Tru64 UNIX, HP-UX, IRIX, IBM (Sequent) DYNIX/ptx, Linux, and Solaris operating systems	6.1	 Installation Guide	<i>networker/unix/cpuxig.pdf</i> <i>networker/unix/cpuxig.ps</i>
Legato NetWorker ClientPak for Windows	5.5.3	Installation Guide	<i>networker/windows/cpwn55ig.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (*Continued*)

Application	Release	Document	Location of Electronic Documentation
Legato NetWorker Module for DB2	1.2	Installation Guide	<i>networker_modules/db2/1.2/nmdb2ig.pdf</i>
		Administrator's Guide	<i>networker_modules/db2/1.2/nmdb2ag.pdf</i>
		Release Supplement	<i>networker_modules/db2/1.2/nmdb2rs.pdf</i>
Legato NetWorker Module for EMC² Symmetrix for Oracle	1.3	Installation and Administration Guide	<i>networker_modules/emc/oracle/emcuxag.pdf</i>
		Release Supplement	<i>networker_modules/emc/oracle/emcuxrs.pdf</i>
Legato NetWorker Module for EMC² Symmetrix for SAP R/3 on Oracle	1.1	Installation and Administration Guide	<i>networker_modules/emc/sap/1.1/emcsapag.pdf</i>
		Release Supplement	<i>networker_modules/emc/sap/1.1/emcsaprs.pdf</i>
Legato NetWorker Module for Informix	2.0	Installation Guide	<i>networker_modules/informix/nmiig.pdf</i>
		Administrator's Guide	<i>networker_modules/informix/nmiag.pdf</i>
		Release Supplement	<i>networker_modules/informix/nmirs.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (*Continued*)

Application	Release	Document	Location of Electronic Documentation
Legato NetWorker Module for Lotus	2.1 Updated	Installation Guide	<i>networker_modules/lotus/2.1/nmlig.pdf</i>
		Administrator's Guide	<i>networker_modules/lotus/2.1/nmlag.pdf</i>
		Release Supplement	<i>networker_modules/lotus/2.1/nmlrs.pdf</i>
	1.2 Updated	Installation Guide	<i>networker_modules/lotus/1.2/bmlotig.pdf</i>
		Administrator's Guide	<i>networker_modules/lotus/1.2/bmlotag.pdf</i>
		Updated Release Supplement	<i>networker_modules/lotus/1.2/bmlotr.pdf</i>
Legato NetWorker Module for Microsoft Exchange Server	3.0	Installation Guide	<i>networker_modules/msexchange/3.0/nmexcig.pdf</i>
		Administrator's Guide	<i>networker_modules/msexchange/3.0/nmexcag.pdf</i>
		Release Supplement	<i>networker_modules/msexchange/3.0/nmexcrcs.pdf</i>
	2.0	Installation Guide	<i>networker_modules/msexchange/2.0/bmexcig.pdf</i>
		Administrator's Guide	<i>networker_modules/msexchange/2.0/bmexcag.pdf</i>
		Release Supplement	<i>networker_modules/msexchange/2.0/bmexcrcs.pdf</i>
Legato NetWorker Module for Microsoft SQL Server	3.0	Installation Guide	<i>networker_modules/mssql/3.0/nmsqlig.pdf</i>
		Administrator's Guide	<i>networker_modules/mssql/3.0/nmsqlag.pdf</i>
	Updated	Release Supplement	<i>networker_modules/mssql/3.0/nmsqlrs.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (Continued)






Application	Release	Document	Location of Electronic Documentation
Legato NetWorker Module for Oracle	3.1 3.0	 Installation Guide	<i>networker_modules/oracle/3.x/nmoig.pdf</i>
		Administrator's Guide	<i>networker_modules/oracle/3.x/nmoag.pdf</i>
		 Release Supplement	<i>networker_modules/oracle/3.x/nmors.pdf</i>
	2.2 2.1.3 2.1.2	Installation Guide	<i>networker_modules/oracle/2.x/bmoig.pdf</i>
		Administrator's Guide	<i>networker_modules/oracle/2.x/bmoag.pdf</i>
		Release Supplement	<i>networker_modules/oracle/2.x/bmors.pdf</i>
Legato NetWorker Module for SAP R/3 on Oracle	2.1	 Installation Guide	<i>networker_modules/sap/nmsapig.pdf</i>
		Administrator's Guide	<i>networker_modules/sap/nmsapag.pdf</i>
		Release Supplement	<i>networker_modules/sap/nmsaprs.pdf</i>
Legato NetWorker Module for Sybase	2.0, 1.1, 1.0	 Installation Guide, Windows and UNIX	<i>networker_modules/sybase/2.x/nmsig.pdf</i>
		Administrator's Guide, Windows and UNIX	<i>networker_modules/sybase/2.x/nmsag.pdf</i>
	2.0, 1.1	 Release Supplement, Windows and UNIX	<i>networker_modules/sybase/2.x/nmsrs.pdf</i>
		1.0	Installation Guide, UNIX Version
	Administrator's Guide, UNIX Version		<i>networker_modules/sybase/1.0/bmsyuxag.pdf</i>
	Release Supplement		<i>networker_modules/sybase/1.0/bmsyrs.pdf</i>
Legato NetWorker for Frameworks, HP IT/O Integration	2.0.1	Administrator's Guide	<i>additional_networker/frameworks/hpitops/hpitoag.pdf</i>
		Release Supplement	<i>additional_networker/frameworks/hpitops/hpitors.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (*Continued*)

Application	Release	Document	Location of Electronic Documentation
Legato NetWorker for Frameworks, Tivoli Integration	2.1	Administrator's Guide	<i>additional_networker/frameworks/tivoli/tivoag21.pdf</i>
		Release Supplement	<i>additional_networker/frameworks/tivoli/tivors21.pdf</i>
	2.0	Administrator's Guide	<i>additional_networker/frameworks/tivoli/tivoag20.pdf</i>
		Release Supplement	<i>additional_networker/frameworks/tivoli/tivors20.pdf</i>
Legato NetWorker for Frameworks, Unicenter DSM Integration	2.0	Installation Guide	<i>additional_networker/frameworks/unicenter/unicenig.pdf</i>
		Administrator's Guide	<i>additional_networker/frameworks/unicenter/unicenag.pdf</i>
		Release Supplement	<i>additional_networker/frameworks/unicenter/unicenrs.pdf</i>
Legato NetWorker Laptop	5.0	User's Guide	<i>additional_networker/laptop/laptopug.pdf</i>
		Administrator's Guide	<i>additional_networker/laptop/laptopag.pdf</i>
		Data Center Manual	<i>additional_networker/laptop/laptopdcm.pdf</i>
Legato NetWorker HSM for Windows with DiskXtender	5.0	Data Management Guide	<i>additional_networker/hsm/hsm_dmg.pdf</i>
		System Guide	<i>additional_networker/hsm/hsm_sysg.pdf</i>
		Getting Started Guide	<i>additional_networker/hsm/hsm_gsg.pdf</i>
		License Server System Guide	<i>additional_networker/hsm/hsm_lssg.pdf</i>
		MediaStor System Guide	<i>additional_networker/hsm/hsm_msg.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (Continued)

Application	Release	Document	Location of Electronic Documentation
Open File Manager (OFM)	7.0	User's Manual	<i>additional_networker/ofm/ofm_manual.pdf</i>
Legato NetWorker Recovery Manager for Solaris	1.1	Installation Guide	<i>additional_networker/recovery_manager/unix/nrmig11.pdf</i>
		Administrator's Guide	<i>additional_networker/recovery_manager/unix/nrmag11.pdf</i>
		Release Supplement	<i>additional_networker/recovery_manager/unix/nrmrs11.pdf</i>
Legato GEMS [®] Director	1.3	Installation Guide	<i>gems/director/gemsig.pdf</i> <i>gems/director/gemshhtml/install/gemsig.htm</i>
		Administrator's Guide	<i>gems/director/gemsag.pdf</i> <i>gems/director/gemshhtml/admin/gemsag.htm</i>
		Release Supplement	<i>gems/director/gemsrs.pdf</i> <i>gems/director/gemshhtml/relsupp/gemsrs.htm</i>
Legato GEMS SmartMedia [®]	1.4	Installation and Administration Guide	<i>gems/smartmedia/smag.pdf</i>
		Release Supplement	<i>gems/smartmedia/smrs.pdf</i>
		Command Reference Guide	<i>command_reference/command.pdf</i>
		Command Reference Guide Usage Instructions	<i>command_reference/readme.txt</i>
Legato GEMS Storage Resource Manager [™]	3.1.5	Getting Started	<i>gems/srm/srmgs.pdf</i>
		Implementation Guide	<i>gems/srm/srmig.pdf</i>
		Evaluation Guide	<i>gems/srm/srmeg.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (Continued)










Application	Release		Document	Location of Electronic Documentation
Legato Automated Availability Manager	4.8		Programming Guide	<i>availability_replication/cluster/4.8/clupg.pdf</i>
			User Guide	<i>availability_replication/cluster/4.8/cluug.pdf</i>
			Concepts Guide	<i>availability_replication/cluster/4.8/clucg.pdf</i>
			Qualified Resource Groups	<i>availability_replication/cluster/4.8/cluqrg.pdf</i>
			SDK Programming Guide	<i>availability_replication/cluster/4.8/clusdkg.pdf</i>
Legato Octopus for Windows NT and Windows 2000	4.2		Installation Guide	<i>availability_replication/octopus/4.2/octoig.pdf</i>
			Message Log Guide	<i>availability_replication/octopus/4.2/octomg.pdf</i>
			Administrator's Guide	<i>availability_replication/octopus/4.2/octoag.pdf</i>
Legato Octopus	4.1		Installation Guide	<i>availability_replication/octopus/4.1/octoig.pdf</i>
			Message Log Guide	<i>availability_replication/octopus/4.1/octomg.pdf</i>
			Administrator's Guide	<i>availability_replication/octopus/4.1/octoug.pdf</i>
Legato Co-StandbyServer™ for Microsoft Exchange Server	4.3		Getting Started Guide	<i>standbyserver/co_standby_exch/csbsexch.pdf</i>
Legato Co-StandbyServer for Microsoft SQL Server	4.3		Getting Started Guide	<i>standbyserver/co_standby_sql/csbssql.pdf</i>
Legato Co-StandbyServer 2000	5.0		User's Guide	<i>standbyserver/co_standbyserver/csbs2kug.pdf</i>
Legato Co-StandbyServer for Windows NT	4.3		User's Guide	<i>standbyserver/co_standbyserver/csbsug43.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (Continued)




Application	Release	Document	Location of Electronic Documentation
Legato High Availability Server	1.2	User's Guide	<i>standbyserver/standbyserver/has.pdf</i>
Legato Mirroring Extension 2000	5.0 	User's Guide	<i>standbyserver/mirroringextension/lme2kug.pdf</i>
Legato Mirroring Extension for Microsoft Cluster Service	1.0	User's Guide	<i>standbyserver/mirroringextension/lmemscs.pdf</i>
Legato OFFSite Archive Many-to-One for NetWare	2.0	User's Guide	<i>standbyserver/standbyserver/osa.pdf</i>
Legato SecureDelete for NetWare	1.0	User's Guide	<i>standbyserver/standbyserver/securedetele.pdf</i>
Legato SnapShotServer™ for NetWare	4.0 	User's Guide	<i>standbyserver/standbyserver/sss_40.pdf</i>
	3.4 3.1 2.1	User's Guide	<i>standbyserver/standbyserver/sss.pdf</i>
Legato StandbyServer™ for NetWare	5.3	User's Guide (NetWare)	<i>standbyserver/standbyserver/sbs.pdf</i>
Novell Storage System (NSS) Volume Mirroring Addendum		Addendum	<i>standbyserver/standbyserver/nss.pdf</i>
Legato CopEase® for NetWare	2.31 	User's Guide	<i>standbyserver/standbyserver/copese_231.pdf</i>

TABLE 3-1 Documentation Suite CD-ROM (*Continued*)

Application	Release	Document	Location of Electronic Documentation
Adobe Acrobat Reader Installation binaries	4.0	Acrobat for AIX	<i>viewers/acroread/aix</i>
		Acrobat for Tru64 UNIX	<i>viewers/acroread/tru64</i>
		Acrobat for HP-UX	<i>viewers/acroread/hpux</i>
		Acrobat for IRIX	<i>viewers/acroread/irix</i>
		Acrobat for Linux	<i>viewers/acroread/linux</i>
		Acrobat for Macintosh	<i>viewers/acroread/mac</i>
		Acrobat for Solaris	<i>viewers/acroread/solaris</i>
		Acrobat for Windows 95, Windows 98, Windows NT, and Windows 2000	<i>viewers/acroread/windows</i>
	3.01	Acrobat for SunOS	<i>viewers/acroread/sunos</i>
4.0 3.01	Usage Instructions	<i>viewers/acroread/readme.txt</i>	
GNU Ghostscript Installation binaries	4.03	Ghostscript for IBM (Sequent) DYNIX/ptx	<i>viewers/gsp rint</i>
		Usage Instructions	<i>viewers/gsp rint/readme.txt</i>

Installing and Registering Your Software

This section provides instructions on how to install and register your software.

Installing Your Software

To install your software you need to complete the following tasks:

- Locate your software. See [“Locating Your Software”](#) below.
- Locate your installation documentation. See [“Locating Your Installation Documentation”](#) on page 26.
- Review your installation documentation. See [“Viewing Documentation”](#) on page 26.
- Install your software. See [“To Install or Upgrade Your Software”](#) on page 27.

Locating Your Software

To locate your software, read the [“Tables of Solstice Backup and Related Information Protection Products”](#) on page 5 to determine which CD-ROM and directory path contains the software you want to install.

Locating Your Installation Documentation

Solstice Backup installation documentation is found on Volume 1 of the Solstice Backup Servers, Clients, and Storage Nodes CD-ROM, in the `SBUDocs` directory.

Note – Follow the installation procedures from the Solstice Backup version of the installation guide. The Documentation CD-ROM contains Legato NetWorker installation documentation that does not apply to Solstice Backup users. Disregard the NetWorker version.

Viewing Documentation

You can review Solstice Backup and related information protection product documentation by using the appropriate viewer. Solstice Backup documentation can be distributed in one or more of the following formats:

- Adobe Acrobat files (`.pdf`)
- PostScript files (`.ps`)
- HTML files (`.htm` or `.html`)

▼ To View Adobe Acrobat Files

Determine whether the Adobe Acrobat Reader software is installed on your computer. If it is not installed, find the Acrobat binary for your computer on the Documentation Suite CD-ROM under `/viewers/acroread`. Use a login account with Administrator or root privileges to install this software on your computer.

- For UNIX platforms, copy the `.tar` file from the directory for your platform to a temporary extraction directory. Use the `tar` command with the appropriate options for your platform to extract the file. After the extraction is complete, use the `./INSTALL` command to install Acrobat Reader.
- For Microsoft Windows platforms, double-click the self-extracting executable `acroread.exe`.

▼ To View PostScript Files

To install the GNU Ghostscript software, refer to `/viewers/gsprint/readme.txt` on the documentation CD-ROM for instructions. The GNU Ghostscript documentation provides information on how to print a PostScript (`.ps`) file.

▼ To View HTML Files

To view HTML files, use an appropriate browser.

▼ To Install or Upgrade Your Software

To install or upgrade your software:

1. Verify that your computer meets the minimum hardware and software requirements. These are listed in the installation instructions for your product.
2. Insert the product CD-ROM that includes the software you want to install in your CD-ROM drive.
3. Installation, upgrade, and configuration information is in the installation documentation for your product.

For late-breaking tips or information, refer to the *Release Notes* that may be listed for your product.

You can also consult the *Solstice Backup 6.1 Administrator's Guide*, which contains additional information to guide you through the configuration process.

4. Customize your product to your environment as needed. Refer to the documentation on the Documentation Suite CD-ROM, as well as on your product's online Help to learn about its features.

Enabling and Registering Solstice Backup and NetWorker Module Products

This section describes enabling and registering the Solstice Backup software specifically, and duplicates the enabling section of the Solstice Backup installation guide in the /SBUDOCS directory of the Solstice Backup Servers, Clients, and Storage Nodes CD-ROM, Volume 1.

This section also can be applied generally to enabling and registering other products in your media kit. For additional information about enabling and registering another product in the media kit, refer to the installation guide for that product.

This section also contains a table of evaluation enabler codes for the various software products in your media kit. Enabler codes and authorization keys are needed to turn on the ability to use features of the software on the media kit software CD-ROMs. Each collection of Solstice Backup software and feature options is sold separately as a product and each has its own enabler code. For example, each of the following options has its own enabler code:

- Network Edition
- Autochanger Software Modules
- Storage Node
- Client connections

The following sections describe how the Solstice Backup software is ordered and used *temporarily* for evaluation purposes:

- [“Temporary Use With a Built-in Enabler Code” on page 28](#)
- [“Temporary Use With an Evaluation Enabler Code” on page 29](#)

The following section describes how the Solstice Backup software is *permanently* licensed:

- [“Permanent Use With a Purchased Enabler Code, Registration, and Authorization Key” on page 30](#)

Temporary Use With a Built-in Enabler Code

You can install and use the Solstice Backup software from the media kit without entering an enabler code. A built-in temporary enabler code is in effect for 30 days after installation.

The built in enabler gives you the following functionality:

- The ability to backup to 10 clients (9 clients plus the server)
- Use a tape library of up to 16 slots (storage bins)

If other functionality is needed for the evaluation period, you will need to use evaluation enablers located in [Table 4-1 on page 33](#).

When you follow the installation instructions in the appropriate manual for the desired locale, the installation software notifies you that you must enter an enabler code to continue using the software beyond 30 days.



Caution – If you do not enable the software within the 30 day period using either a evaluation or purchased enabler code, the ability to backup data is disabled, although restoration of data is still allowed. Any time during the initial 30-day period, you can either enter a evaluation or purchased enabler code, as described in the sections [“Temporary Use With an Evaluation Enabler Code” on page 29](#) and [“Permanent Use With a Purchased Enabler Code, Registration, and Authorization Key” on page 30](#).

Temporary Use With an Evaluation Enabler Code

You can install the Solstice Backup software and any combination of evaluation enabler codes in [Table 4-1 on page 33](#) to evaluate the Solstice Backup software for 45 days.

▼ To Enter the Evaluation Enabler Code

After you follow the Solstice Backup installation instructions, perform the following procedure:

1. Obtain the appropriate enabler code for the type of Solstice Backup server and client configuration you are using.

For the appropriate enabler codes, see [Table 4-1 on page 33](#).

2. Become superuser on the Solstice Backup main server or log in as a user with administrative rights.

3. Enter the following command to enable the software:

```
# nsrccap -v -c <enabler_code>
```



Caution – If you do not enable the software with a purchased enabler code within the 45 day period after entering an evaluation enabler code, the ability to backup data is disabled. Restoration of data is still allowed. Any time during the 45 days after you enter an evaluation enabler, you can enter a purchased enabler code, as described in [“Permanent Use With a Purchased Enabler Code, Registration, and Authorization Key”](#) on page 30.

Permanent Use With a Purchased Enabler Code, Registration, and Authorization Key

You can purchase a license for the Solstice Backup software either at the same time that you purchase a media kit, or any time during an evaluation period. You can also purchase upgrade licenses for additional clients, database modules, and jukeboxes.

Once you have purchased your licenses, you will receive one or more enabler certificates in the mail. If this is a new purchase, you will receive an enabler code for the base software and one for each additional module. If you are upgrading or adding new functionality, you will receive an enabler for each additional module.

As described on the enabler certificate, after you enable the Solstice Backup software with the code supplied on the certificate, you must register the Solstice Backup software. Sun will then send you an authorization code, which you must enter in the registration window of the Solstice Backup Administrator program. The authorization code must be entered within 45 days of the date you entered the purchased enabler certificate.



Caution – If you do not enter the permanent authorization code within the 45 day period after entering the purchased enabler code, the ability to backup data is disabled, although restoration of data is still allowed.

▼ To Enable and Register the Solstice Backup Software

1. Order licenses from Sun for the type of Solstice Backup server and client configuration you are using.

When you get the purchased enabler certificate in the mail, proceed to [Step 2](#).

2. Become superuser on the Solstice Backup main server or log in as a user with administrative rights.

3. Perform the following operations to enter the purchased enabler codes:

a. If you have been evaluating the Solstice Backup software and have now purchased the software:

i. Upgrade from your base evaluation enabler to your purchased base enabler by entering the following command:

```
# nsrkap -v -u base_enabler_code
```

ii. (Optional) Delete any remaining evaluation enablers via the Solstice Backup Administrator program (`nwadmin`). This will eliminate warning messages coming from expiring evaluation enablers. Add your purchased enablers for additional functionality as shown in [Step b](#).

b. Enter the following command, once for each module:

```
# nsrkap -v -c enabler_code
```

4. Start the Solstice Backup Administrator program:

```
# nwadmin &
```

5. Select View>Tabular.

6. Select Server>Registration.

The registration window lists all enabled modules by name, serial number, hostid, the expiration date, and the enabler's authorization key. If an enabler is authorized, no expiration date is shown. If an enabler is not authorized, no authorization key is shown.

7. Enter the required information in the fields for the following:

- Name
- Company
- Address
- Phone number
- Email
- Date purchased

8. With the registration information from [Step 6](#) available, call the license center at 1-800-usa4sun or send email to license@sun.com.

To send email, copy and paste the registration window contents (enabler codes, hostids, and expiration dates) along with your name, company name, address, phone number, email address and date of purchase into an email message. Include a brief note stating that you are requesting authorization keys.

The authorizations keys are returned within two days by the same method you use to request them.



Caution – If you do not enter an authorization key within the 45 day period after entering the purchased enabler code, the ability to backup data is disabled. Restoration of data is still allowed.

▼ To Enter the Permanent Authorization Code

To enter the permanent authorization code for Solstice Backup servers and clients:

1. Apply for the authorization key from the Sun license center, as described in [“To Enable and Register the Solstice Backup Software”](#) on page 30.

When the authorization keys arrive, proceed to [Step 2](#).

2. Become superuser on the Solstice Backup main server or log in as a user with administrative rights.
3. Start the Solstice Backup Administrator program:

```
# nwadmin&
```

4. Select Server>Registration.
5. Enter each authorization key into the Authorization Key field for the corresponding enabler.

For example, if you have enabled and obtained the authorization key for the Autochanger Software Module, enter the authorization key into the entry for the Autochanger Software Module enabler.

Update Enablers

If you have an enabler for an earlier release of the Solstice Backup software and are installing this release as an update, you received the update enabler code on the Enabler Certificate. The update enabler brings forward all the licenses for which you've already been authorized. Enter the update enabler code as you would any other enabler code. Enter the update enabler code without removing any of the previously authorized codes.

45-Day Evaluation Enabler Codes

The table below provides 45-day evaluation enabler codes of Solstice Backup products.

TABLE 4-1 Evaluation Enabler Codes

Product	Description	45-Day Evaluation Enabler Code
Server Editions	Solstice Backup Workgroup Edition	3130b3-f0cd64-a3017b
	Solstice Backup Network Edition	4ac9cc-07b696-cb5510
	Solstice Backup Power Edition Note: If you have already entered a Network or WorkGroup Edition base enabler, you cannot enter a Power Edition evaluation enabler. Call your local Sun Solution Center for instructions on how to delete the base enabler.	e9726b-a6153a-e955b3
Storage Node Options	1 st Storage Node for UNIX Network Edition	9b981d-4b67f8-6a65e1
	2 nd Storage Node for UNIX Network Edition	1c199e-cad879-e9eb66
	3 rd Storage Node for UNIX Network Edition	9c991e-4a58f9-696ae6
	1 st Storage Node for UNIX Power Edition	6be8ed-3b9707-dcbc31
	2 nd Storage Node for UNIX Power Edition	6ce9ee-3a8806-dfa336
	3 rd Storage Node for UNIX Power Edition	eb686d-bb1787-5c3fb1
	1 st Storage Node for Linux Network Edition	3d3abf-15b99f-ef1c07
	2 nd Storage Node for Linux Network Edition	3e3bc0-14ba9e-e81f04
	3 rd Storage Node for Linux Network Edition	3fc4c1-17bb99-e91a05
	1 st Storage Node for Linux Power Edition	2025a2-f6dc78-8af96a
	2 nd Storage Node for Linux Power Edition	2126a3-f1dd7b-8bc86b
	3 rd Storage Node for Linux Power Edition	a0a522-765cf8-0a78ea
	1 st Storage Node for Microsoft Windows Network Edition	68edea-3e941a-c3a732
	2 nd Storage Node for Microsoft Windows Network Edition	e96e6b-b91599-4239b3
	3 rd Storage Node for Microsoft Windows Network Edition	69eeeb-399519-c2ba33

TABLE 4-1 Evaluation Enabler Codes (Continued)

Product	Description	45-Day Evaluation Enabler Code
Storage Node Options (continued)	1 st Storage Node for Microsoft Windows Power Edition	6deaeef-258905-dea637
	2 nd Storage Node for Microsoft Windows Power Edition	6eebf0-248a04-d9a134
	3 rd Storage Node for Microsoft Windows Power Edition	6ff4f1-278b03-d8a035
SAN Storage Node Options (Note: these enablers work with NDMP clients)	SAN Storage Node for UNIX Network Edition	44c1c6-12b094-de780e
	SAN Storage Node for UNIX Power Edition	c74c49-9f3311-59f68d
	SAN Storage Node for Linux Network Edition	6deaeef-2589af-08e537
	SAN Storage Node for Linux Power Edition	111693-c1ed4b-6c0e5b
	SAN Storage Node for NT Network Edition	73eef5-238fa5-ed5339
	SAN Storage Node for NT Power Edition	ee7570-a40a2e-60dbb4
NetWorker NDMP Client Connection	25 NetWorker NDMP Client Connections	230aa5-ffdf75-a5f169
Dynamic Drive Sharing Options	DDS option, per tape drive, for all operating systems	b6b338-5242e6-0f5bfc 373cb9-d1c361-8ed97d b7bc39-5143e1-0e56fd 383dba-d0c460-8dd602 b8bd3a-5044e0-0d5582
ClientPak Options	Legato NetWorker ClientPak for NetWare	5fe4e1-3a9bb3-dc8e25
	Legato NetWorker ClientPak for PC Desktops	aca92e-7848e7-7ef4f6
	Legato NetWorker ClientPak for UNIX	63e0e5-309fbf-13e529
	Legato NetWorker ClientPak for Linux	f67378-9f0226-6818bc or d25754-b32e0a-794f98
	Legato NetWorker ClientPak for Microsoft Windows NT and Windows 2000	939015-4f6fc1-295ed9
Autochanger Software Modules	1 st NetWorker Autochanger Software Module Unlimited Slots Microsoft Windows/UNIX	1d14e0-1fd965-193167
	2 nd NetWorker Autochanger Software Module Unlimited Slots Microsoft Windows/UNIX	0209fb-3afef0-a61048
	3 rd NetWorker Autochanger Software Module Unlimited Slots Microsoft Windows/UNIX	030efa-39ffff-a71149
Client Connections	100 NetWorker Client Connections Microsoft Windows/UNIX	77e4d7-63d771-728f97

TABLE 4-1 Evaluation Enabler Codes (Continued)

Product	Description	45-Day Evaluation Enabler Code
Cluster Client Connections	25 Cluster Client Connections for UNIX	97b319-4363c1-09c5dd
	25 Cluster Client Connections for Linux	103a92-caec48-ba4d5a
	1 Cluster Client Connection for Windows NT	65cce7-2991b7-ff522f
	5 Cluster Client Connections for Windows NT	002b82-c6fc58-92444a
SNMP Module	NetWorker SNMP Module	151297-dbe15a-9b1b5f
Archive Modules	NetWorker Archive Module UNIX	da5f5c-9f261d-0c8ba0
Enterprise Application Modules	NetWorker Module for Informix, UNIX client	cc494e-872811-52f796
	NetWorker Module for Informix, Microsoft Windows client	f06b72-bb0c35-76d3ba
	NetWorker Module for DB2, UNIX client	9a811c-4166df-2394e0
	NetWorker Module for Lotus Notes, UNIX client	f27774-b90e2e-8074b8
	NetWorker Module for Lotus Notes, Microsoft Windows client	3722b9-f6c36a-76c97d
	NetWorker Module for Oracle 3.0, UNIX client	e27964-861e3d-c671a8
	NetWorker Module for Oracle 3.0, Microsoft Windows client	ef6a71-910b2e-c776b5
	NetWorker Module for Oracle 2.x, UNIX client	2623a8-efd278-f9c46c
	NetWorker Module for Oracle 2.x, Microsoft Windows client	a2b924-635ef1-d903e8
	NetWorker Module for Microsoft Exchange Server	de5b60-aa1a2d-d3dca4
	NetWorker Module for Microsoft SQL Server	203ba2-eadc6b-11516a
	NetWorker Module for SAP/R3 on Oracle, UNIX client	79fefb-3385a4-050bc3
	NetWorker Module for SAP/R3 on Oracle, Microsoft Windows client	9e8520-6e5aec-55a6e4
	NetWorker Module for Sybase, UNIX client	b4b136-7040e0-cf78fe
NetWorker Module for Sybase, Microsoft Windows client	e8736a-ac142d-6ecbb2	

