



Sun Blade™ 1500 Product Notes

(Silver)



Sun Microsystems, Inc.
www.sun.com

Part No. 817-5131-10
December 2004, Revision A

Submit comments about this document at: <http://www.sun.com/hwdocs/feedback>

Copyright 2004 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries.

This document and the product to which it pertains are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of the product or of this document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Sun Blade, AnswerBook2, docs.sun.com, OpenBoot, SunOS, SunVTS, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and in other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and in other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. Netscape and Mozilla are trademarks or registered trademarks of Netscape Communications Corporation in the United States and other countries. OpenGL is a registered trademark of Silicon Graphics, Inc. Adobe is a registered trademark of Adobe Systems, Incorporated. FireWire and the FireWire logo are trademarks of Apple Computer, Inc., used under license.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

U.S. Government Rights—Commercial use. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2004 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, Californie 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. a les droits de propriété intellectuelle relatifs à la technologie qui est décrite dans ce document. En particulier, et sans la limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains énumérés à <http://www.sun.com/patents> et un ou les brevets plus supplémentaires ou les applications de brevet en attente dans les Etats-Unis et dans les autres pays.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a.

Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Sun Blade, ShowMe, SunSolve, OpenBoot, SunOS, SunVTS, et Solaris sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc. Netscape et Mozilla sont des marques de Netscape Communications Corporation aux Etats-Unis et dans d'autres pays. OpenGL est une marque déposée de Silicon Graphics, Inc. Adobe est une marque enregistrée de Adobe Systems, Incorporated. FireWire et le logo de FireWire sont des marques déposées de Apple Computer, Inc., utilisées sous le permis.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciées de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

LA DOCUMENTATION EST FOURNIE "EN L'ÉTAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISÉE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE À LA QUALITÉ MARCHANDE, À L'APTITUDE À UNE UTILISATION PARTICULIÈRE OU À L'ABSENCE DE CONTREFAÇON.



Sun Blade 1500 Product Notes

The *Sun Blade 1500 Product Notes (Silver)*, 817-5131-10 contain late-breaking information about changes to the product and to the documentation supporting the product that became known after the documentation set was published.

Note – This publication describes the changes made to hardware, software, firmware, and documentation for Sun BladeTM 1500 workstations with silver bezels. If you have a Sun Blade 1500 workstation with a red bezel, refer to the *Sun Blade 1500 Product Notes (Red)*, 816-7569-14.

Note – Both red and silver versions of the Sun Blade 1500 documentation are available at:

<http://www.sun.com/products-n-solutions/hardware/docs/>

This product note includes:

- “Hardware Information” on page 2
- “Software and Firmware Information” on page 4
- “Documentation Information” on page 6

Hardware Information

Note – Before removing or installing any hardware, software, or firmware components read all of the *Sun Blade 1500 Product Notes (Silver)*, and the documentation for the component that you are removing or installing.

Note – Before removing or installing any hardware components, read all of the contents of the *Sun Blade 1500 Workstation Safety and Compliance Guide*, 817-5130.

Hardware, Software, and Firmware Differences Sun Blade 1500 (Red)/Sun Blade 1500 (Silver)

TABLE 1 summarizes the major hardware, software, and firmware differences between Sun Blade 1500 (Red) and Sun Blade 1500 (Silver) workstations.

TABLE 1 Hardware, Software, and Firmware Differences — Sun Blade 1500 (Red)/Sun Blade 1500 (Silver)

Hardware	Sun Blade 1500 (Red)	Sun Blade 1500 (Silver)
CPU speed	1.062 GHz	1.503 GHz
Memory options	256 MB/512 MB/1 GB	512 MB/1 GB/2 GB
Memory type	266 MHz DDR1 SDRAM	266 or 333 MHz DDR1 SDRAM
Memory speed	236 MHz	250 MHz
Memory clock speed	118 MHz	125 MHz
Hard drive	80 GB IDE	120 GB IDE
Optical media drive	DVD-ROM	DVD-ROM/CD-RW
Power supply unit (PSU)	360 Watts	420 Watts
Solaris	8 HW 5/03 9 4/04	8 2/04 9 9/04
SunVTS	5.1 PS2	5.1 PS5+
OpenBoot PROM	4.9.4	4.16.3

Smart Card Reader

Customers using GNOME might find that their smart card reader does not operate after the smart card has been removed. To prevent this problem from occurring, log out before you remove the smart card from the reader.

Mixing DIMM Speeds

The Sun Blade 1500 workstation supports DDR-1 SDRAM DIMMs. The speed (frequency) of these DIMMs can be either 266 MHz or 333 MHz. OpenBoot PROM version 4.16.3 supports mixing of identical 266 MHz and 333 MHz speed DIMMs in the same bank.

Memory Interleaving and Mixing DIMM Speeds

The UltraSparc® IIIi processor supports the bank, rank, DIMM, and XOR interleaving of identical DIMMs of the same speed in the same bank.

Note – Additional information about memory interleaving is available in Appendix C of the *Sun Blade 1500 Service, Diagnostics, and Troubleshooting Manual*, 816-7564-11.

DVD-ROM/CD-RW and DVD Dual Drive

Some workstations may not successfully copy information from the original master to a new optical disk. This usually occurs when the drive powers down with its optical drive tray open. If this occurs:

1. Reinsert the master disc into the tray.
2. Press the open/close button to close the drive.

This will restart the copy process.

OpenBoot PROM Memory Resource Leak

Your workstation may hang if interrupt commands such as Stop-A, Stop-N, or boot -h are repeatedly used. Sun will shortly release a patch to resolve this problem. Until this patch is released, if your system hangs, power-cycle your workstation.

Software and Firmware Information

Note – Before installing any software onto the Sun Blade 1500 hard drive(s), read the documentation for that software.

Booting From a DHCP Server

To boot your Sun Blade 1500 (Silver) workstation from a DHCP boot server, type:

```
ok boot net:dhcp
```

However, you also need to configure your DHCP boot server to support the following vendor client class:

SUNW.Sun-Blade-1500-S (The period is not a typo.)

Note – The corresponding `uname -i` output would normally be:
SUNW,Sun-Blade-1500-S

Note – Additional information about using `uname -i` can be found in the *System Administration Guide: IP Services*, 806-4075.

Software Optimization

Software for the Sun Blade 1500 workstation is continuously improved throughout the life cycle of the product. [TABLE 2](#) lists the latest patches as of December 2004 for the Sun Blade 1500 (Silver) workstation.

TABLE 2 Latest Patches as of December 2004 — Sun Blade 1500 (Silver)

Solaris Operating Environment	Patch	Synopsis
Solaris™ 8 2/04	108576-48 (or later)	SunOSTM 5.8: Expert3D IFB, Sun XVR-500 graphics accelerator patch
	113886-25 (or later)	OpenGL® 1.3 patch for Solaris (32-bit)
	113887-25 (or later)	OpenGL 1.3 patch for Solaris (64-bit)
	114537-26 (or later)	SunOS 5.8: Sun XVR-100 graphics accelerator patch
	114554-16 (or later)	SunOS 5.8: Sun XVR-600 and XVR-1200 graphics accelerator patch
	116042-13	SunVTS™ version 5.1 PS5+ update patch—not available for separate download. This patch has been replaced by patch 118515-01.
	118097-01 (or later)	SunOS 5.8: CD-RW 1.1 patch
	118515-01 (or later)	SunVTS 5.1 PS5+
Solaris 9 9/04	112540-22 (or later)	SunOS 5.9: Expert3D IFB, Sun XVR-500 graphics accelerator patch
	113886-25 (or later)	OpenGL 1.3 patch for Solaris (32-bit)
	113887-25 (or later)	OpenGL 1.3 patch for Solaris (64-bit)
	114538-26 (or later)	SunOS 5.9: Sun XVR-100 graphics accelerator patch
	114555-16 (or later)	SunOS 5.9: Sun XVR-600 and XVR-1200 graphics accelerator patch

TABLE 2 Latest Patches as of December 2004 — Sun Blade 1500 (Silver) (*Continued*)

Solaris Operating Environment	Patch	Synopsis
	116042-13	SunVTS version 5.1 PS5+ update patch—not available for separate download. This patch has been replaced by patch 118515-01.
	116546-02 (or later)	SunOS 5.9: CD-RW DVD-RW DVD+RW patch
	118515-01 (or later)	SunVTS 5.1 PS5+

Note — Additional information about the latest patches may be found at:
<http://sunsolve.sun.com>

SunVTS

Sun Blade 1500 (Silver) workstations come preinstalled with SunVTS 5.1 PS5+ on the hard disk image. If the hard disk image is erased from your workstation's drive and you wish to use SunVTS go to:

<http://www.sun.com/oem/vts/>

- **Download and install SunVTS 5.1 PS5+.**

Note — For additional information about installing SunVTS 5.1 PS5+, see *SunVTS 5.1 Patch Set 5+ Documentation Supplement*, 819-1193-10. This information can be found at:

http://www.sun.com/products-n-solutions/hardware/docs/Software/system_administration/tools/testing_validation/sunvts/index.html

Documentation Information

This section describes changes to the Sun Blade 1500 (Silver) documentation.

Currently there are no known corrections for the Sun Blade 1500 (Silver) workstation documentation.

