

DRAFT-4



hp OpenView storage data protector 6.1 Instant Recovery & Zero Downtime Backup Support Matrix for HP StorageWorks Enterprise Virtual Array using SMI-S agent

Version: Draft-4

Date: December 1, 2007

The main feature of HP StorageWorks Enterprise Virtual Array is the ability to create snapshots of data stored on the disk arrays. These snapshots can be used to back up the data using a different server (backup system), and thus reduce the backup load from the production server (application system), allowing the production applications to run uninterrupted. The largest benefit of the snapshot integration is that the backup window is reduced, lowering the load on the production server.

Following are the Operating System support details:

supported operating systems			
Operating System	Versions	Application Host	Backup Host
HP-UX	11.11 (PA-RISC)	PA-RISC	PA-RISC
	11.23 (PA-RISC)		
	11.31 (PA-RISC)		
	11.23 (Itanium)	Itanium	Itanium
	11.31 (Itanium)		
Windows	2000 (32-bit)	IA-32	IA-32
	2003 (32-bit)		
	2003 (64-bit -Itanium)	Itanium	Itanium
	2003 (64-bit - x64)		
Solaris	8, 9, 10 (SPARC)	SPARC	SPARC

Data Protector 6.1 supports the vsnap, snapclone and standard snapshots provided by EVA array. The EVA types supported are EVA 3000, EVA 4000, EVA 5000, EVA 6000 and EVA 8000.

supported agent functionalities		
Agent Functionality	Zero Downtime Backup	Instant Recovery
Snapshot / vsnap	Supported	Not Supported
Snapclone	Supported	Supported

HP StorageWorks Enterprise Virtual Array runs Command View (CV) and Virtual Control Software (VCS or XCS) to control the array. Following are the versions tested and certified by Data Protector:

Command View (CV): 3.x, 4.x and 5.x, 6.0.2, 7.0.x
 Virtual Control Software (VCS/XCS): 3.0.2x, 4.0.x, 5.0.x, 6.0.x, 6.1.x

supported SMIS provider versions							
EVA Type	SMIS provider version						
	3.2.0.8/3.2.5	4.0.1	4.1.0.10 / 4.1.2.1	4.1.6.2 / 4.1.8.2	5.0.1.x	6.0.2.x	7.0.x
EVA3000 / EVA5000	Supported	Supported	Supported	Not Supported	Supported	Supported	Supported

DRAFT-4

EVA4000 / EVA6000 / EVA8000	Not Applicable	Supported	Supported	Supported	Supported	Supported	Supported
-----------------------------------	-------------------	-----------	-----------	-----------	-----------	-----------	-----------

For details on supported CV ports and their updating, please refer to the "Setting the Login Information for CV EVA" section in the HP OpenView Storage Data Protector Zero Downtime Backup Administrator's Guide.

Following is the list of Application Integrations supported on the various supported platforms:

supported configurations – PA-RISC				
integrations on hp-ux 11.11, 11.23 and 11.31 ¹	single-host BC	dual-host BC	CA	CA/BC (combined)
Raw disk	ZDB with IR	ZDB with IR	NA	ZDB
Raw logical volume	ZDB with IR	ZDB with IR	NA	ZDB
File system offline	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 8.1.7 RMAN offline or online	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 9i RMAN offline or online ²	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ²	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 11g RMAN offline or online ²	ZDB with IR	ZDB with IR	NA	ZDB
SAP R/3 4.6x + brbackup 4.6x offline or online ^{3,4}	Not Supported	ZDB with IR	NA	ZDB
SAP R/3 4.7x + Brtools 6.40 offline or online ⁴	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.10 & 6.20 offline or online ⁴	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.40 offline or online ⁴	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 7.0 offline or online ⁴	Not Supported	ZDB with IR	NA	ZDB

¹ For HP-UX 11.31, new device special files (DSF) are also supported.

² Oracle 9i/10g/11g includes all released versions of 9i/10g/11g e. g. 9.x.x, 10.x.x; 11.x.x etc.

³ This includes all sub-versions. For example, 4.6x includes 4.6B, 4.6C, 4.6D etc.

⁴ The integration is done using the 'Backint' functionality.

supported configurations				
integrations on hp-ux 11.23 and 11.31 ¹ (Itanium)	single-host BC	dual-host BC	CA	CA/BC (combined)
Raw disk	ZDB with IR	ZDB with IR	NA	ZDB
Raw logical volume	ZDB with IR	ZDB with IR	NA	ZDB
File system offline	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 9i RMAN offline or online ²	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ²	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 11g RMAN offline or online ²	ZDB with IR	ZDB with IR	NA	ZDB
SAP R/3 4.7x + Brtools 6.40 offline or online ³	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.40 offline or online ³	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 7.0 offline or online ³	Not Supported	ZDB with IR	NA	ZDB

¹ For HP-UX 11.31, new device special files (DSF) are also supported.

² Oracle 9i/10g/11g includes all released versions of 9i/10g/11g e. g. 9.x.x, 10.x.x; 11.x.x etc.

³ The integration is done using the 'Backint' functionality.

DRAFT-4

supported configurations – 32-bit Windows				
integrations on Windows 2000 and Windows 2003	single-host BC	dual-host BC	CA	CA/BC (combined)
Raw disk	ZDB with IR	ZDB with IR	NA	ZDB
NTFS file system	ZDB with IR	ZDB with IR	NA	ZDB
Microsoft Exchange 2000	Not Supported	ZDB with IR	NA	ZDB
Microsoft Exchange 2003	Not Supported	ZDB with IR	NA	ZDB
Microsoft SQL 2000	Not Supported	ZDB with IR	NA	ZDB
Microsoft SQL 2005	Not Supported	ZDB with IR	NA	ZDB
Oracle 9i RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 11g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
SAP R/3 4.7x + Brtools 6.40 offline or online ³	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.20 offline or online ²	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.40 offline or online ²	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 7.0 offline or online ²	Not Supported	ZDB with IR	NA	ZDB

¹ Oracle 9i/10g/11g includes all released versions of 9i/10g/11g e. g. 9.x.x, 10.x.x; 11.x.x etc.

² The integration is done using the 'Backint' functionality.

supported configurations				
integrations on Windows 2003 (Itanium)	single-host BC	dual-host BC	CA	CA/BC (combined)
Raw disk	ZDB with IR	ZDB with IR	NA	ZDB
NTFS file system	ZDB with IR	ZDB with IR	NA	ZDB
Microsoft Exchange2000	Not Supported	ZDB with IR	NA	ZDB
Microsoft SQL2000	Not Supported	ZDB with IR	NA	ZDB
Microsoft SQL2005	Not Supported	ZDB with IR	NA	ZDB
Oracle 9i RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 11g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
SAP R/3 4.7 & Brtools 6.40 offline or online ²	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.20 offline or online ²	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.40 offline or online ²	Not Supported	ZDB with IR	NA	ZDB

¹ Oracle 9i/10g/11g includes all released versions of 9i/10g/11g e. g. 9.x.x, 10.x.x; 11.x.x etc.

² The integration is done using the 'Backint' functionality.

supported configurations				
integrations on Windows 2003 (x64)	single-host BC	dual-host BC	CA	CA/BC (combined)
Raw disk	ZDB with IR	ZDB with IR	NA	ZDB
NTFS file system	ZDB with IR	ZDB with IR	NA	ZDB
Microsoft Exchange 2007 ³	-	-	-	-
Microsoft SQL2000	Not Supported	ZDB with IR	NA	ZDB
Microsoft SQL2005	Not Supported	ZDB with IR	NA	ZDB

DRAFT-4

Oracle 9i RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
SAP R/3 4.7 & Brtools 6.40 offline or online ²	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.20 offline or online ²	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.40 offline or online ²	Not Supported	ZDB with IR	NA	ZDB

- 1 Oracle 9i/10g/11g includes all released versions of 9i/10g/11g e. g. 9.x.x, 10.x.x; 11.x.x etc.
- 2 The integration is done using the 'Backint' functionality.
- 3 MS Exchange ZDB / IR backups are supported using VSS. For details please refer to hp OpenView storage data protector 6.1 VSS support matrix.

supported configurations – Solaris (SPARC)				
integrations on Solaris 8, 9 and 10	single-host BC	dual-host BC	CA	CA/BC (combined)
Raw Disk	ZDB with IR	ZDB with IR	NA	ZDB
Raw Logical Volume	ZDB with IR	ZDB with IR	NA	ZDB
File System Offline	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 8.1.7 RMAN offline or online	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 9i RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 10g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
Oracle 11g RMAN offline or online ¹	ZDB with IR	ZDB with IR	NA	ZDB
SAP R/3 4.6x & brbackup 4.6x offline or online ^{2,3}	Not Supported	ZDB with IR	NA	ZDB
SAP R/3 4.7 & Brtools 6.40 offline or online ³	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.10 & 6.20 offline or online ³	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 6.40 offline or online ³	Not Supported	ZDB with IR	NA	ZDB
SAP Brtools 7.0 offline or online ³	Not Supported	ZDB with IR	NA	ZDB

- 1 Oracle 9i/10g/11g includes all released versions of 9i/10g/11g e. g. 9.x.x, 10.x.x; 11.x.x etc..
- 2 This includes all sub-versions. For example, 4.6x includes 4.6B, 4.6C, 4.6D etc.
- 3 The integration is done using the 'Backint' functionality.

supported volume managers			
Operating System	LVM	Volume Manager VxVM	Disk Manager
HP-UX	Supported	Not Supported	Not Applicable
Sun Solaris	Not Applicable	Not Supported	Not Applicable
Windows	Not Applicable	Not Supported	Supported ¹

- 1 Dynamic Disks are not supported

supported secure path versions	
Operating System	Secure Path / MPIO
HP-UX	3.0F/latest available
Sun Solaris	3.0D(SP1)/latest available
Windows	4.0C(SP2)/latest available

DRAFT-4

Supported Backup Topologies

The HP StorageWorks Enterprise Virtual Array integration can be used in different backup topology scenarios, without any user interference or special configuration:

- One application system, one disk array, one backup system
- One application system, multiple disk arrays, one backup system
- Multiple application systems, one or multiple disk arrays, one backup system
- Single system (filesystem, disk image and Oracle backup only)

The supported high-availability configurations are:

1. Clustered Application hosts, stand-alone backup host.
2. Clustered Application hosts and clustered backup hosts
3. Stand-alone Application hosts and clustered backup hosts

Note: For details on supported versions of the Clustering Software, please refer to the "Platform & Integration Support Matrices" for Data Protector 6.1.

DRAFT